

**कार्यालय महाप्रबंधक**  
**मध्य प्रदेश जल निगम मर्यादित**

(म.प्र. शासन का उपक्रम)

**परियोजना क्रियान्वयन इकाई, सिंगरौली**

कार्यालय : कक्ष क्र. 44, प्रथम तल, कलेक्ट्रेट भवन, वैढन  
(Website: www.mpjalnigam.mp.gov.in)

CIN-U41000MP2012SGC028798  
gmmpjinmsingrauli@gmail.com)

क्रमांक **2315** /महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2022  
प्रति,

दिनांक **29/09/2023**

- वन मण्डल अधिकारी  
वन मण्डल सिंगरौली (म.प्र.)
- विषय:- बैढन-1 ग्रामीण समूह जल प्रदाय योजना अंतर्गत पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा चाही गई जानकारी प्रेषित करने बावत्।
- संदर्भ:- 1. प्रकरण क्रमांक FP/MP/WATER/153484/2022  
2. तकनीकी अधिकारी पत्र क्र0/06 एमपीबी/051/2023-बीएचओ दिनांक 21-09-2023.  
3. प्रधान मुख्य वन संरक्षक (भू-प्रबंध), भोपाल का पत्र क्र0 4323 दिनांक 27-09-2023.

--000--

विषयांतर्गत लेख है कि आपके संदर्भित पत्र क्र.2 के माध्यम से तालिका में वर्णित जानकारी चाही गई थी जो निम्नानुसार है:-

| S.No. | Query                                                                                                                | Reply                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | Administrative Approval/Sanction letter of the project shall be submitted/uploaded.                                  | Enclosed<br>At page-(1-2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 2     | Full KML file of layout plan of forest area and non forest area (full project kml file) shall be submitted/uploaded. | Kml file of layout plan of forest area and non forest area (full project kml file) uploaded on parivesh web portal.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 3     | Justification for location of the project in forest land (counter signed by DFO) shall be submitted/uploaded.        | Detailed Justification report Attached.<br>At page-(3)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 4     | No objection certificates of concerned department (Railway, WRD, Road, TL etc) shall be submitted.                   | No Objection Certificates from Concerned departments is attached.<br>At page-(4-17)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 5     | It is a new pipeline project, alternative alignment of with comparative statement shall be submitted.                | It is already shown in Para-D (Part-1) of proposal, that no alternative option is available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 6     | KML file for alternative alignment shall be submitted/uploaded.                                                      | Alternative option is not available                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 7     | Detailed muck calculation and muck disposal scheme as approved by concerned DFO shall be submitted.                  | Total quantity of excavated material during laying of pipeline will be as follows.<br><b>Calculation-</b><br>Excavated Volume- (66773x0.51x1)= 34054.23 cum<br>Pipe Volume -(3.14x0.2x0.2x66773) = 8386.68 cum<br>Backfilled Soil - (34054.23-8386.68)= 25667.54 cum<br>Remaining Muck (excavated soil - backfilled soil) = 8386.68<br>Note: Excavated soil shall be backfilled and levelled. And Remaining muck (Equal to pipe volume) will be disposed off at available surplus revenue land (20.8 ha. Total CA land - 17 ha. Total land provided in 3 proposals ) 3.8 ha. located at village pipri, teh: chitrangi khasra no. 245 allotted to MPJNM.<br>At page-(18) |

|    |                                                                                                                                   |                                                                                                                                                                                                                |
|----|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8  | Componenet wise breakeup of land required and component wise area calculation with the layout plan is shall be submitted.         | Component wise breakup for 3.445 ha. of pipeline network uploaded on Parivesh portal Part-1 (Point-B) and hard copy enclosed.<br><br>At page-(19-20)                                                           |
| 9  | As Per DSS analysis, some part of forest area does not included in proposed diversion area shall be clarified.                    | As the Multi Village Water Supply Scheme aims to provide Potable water in divided zones. Hence the Proposals have been applied/submitted zone wise. some part of forest area applied with different proposals. |
| 10 | As Per DSS analysis, the proposed diversion area is 7.53 km away from Son Ghariyal WLS, Comments of CWLW,M.P. shall be submitted. | Comment to be given by DFO Singrauli.                                                                                                                                                                          |
| 11 | Suitability certificate for CA land shall be submitted.                                                                           | Enclosed<br>At page-(21-22)                                                                                                                                                                                    |

जानकारी सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर संप्रेषित है।

  
(पंकज वाधवानी)

महाप्रबंधक  
म.प्र. जल निगम मर्यादित  
परि.क्रिया.ई. सिंगरौली  
दिनांक

पृ. क्रमांक /महा.प्रबं./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2023  
प्रतिलिप:-

1. प्रधान मुख्य वन संरक्षक (भू-प्रबंध),भोपाल की ओर सूचनार्थ प्रेषित।
- 2.ओ.एस.डी., म.प्र. जल निगम मर्यादित भोपाल की ओर सूचनार्थ प्रेषित।

/  
महाप्रबंधक  
म.प्र. जल निगम मर्यादित  
परि.क्रिया.ई. सिंगरौली

कार्यालय प्रधान मुख्य वन संरक्षक (कक्ष भू-प्रबंध), वन भवन, मध्यप्रदेश, भोपाल  
क्रमांक/एफ-5/1293/2023/10-11/4323 भोपाल, दिनांक 27-9-23  
प्रति,

महाप्रबंधक,  
जल निगम मर्यादित, परियोजना क्रियान्वयन इकाई,  
सिंगरौली, मध्यप्रदेश।

विषय:- सिंगरौली जिले में बैढ़न-1 ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाईप लाईन बिछाने हेतु 3.4296 हेक्टेयर वनभूमि (ऑनलाईन आवेदित 3.445 हे.) मध्यप्रदेश जल निगम मर्यादित, सिंगरौली को उपयोग पर देने बाबत। (FP/MP/WATER/153484/2022)


संदर्भ:- भारत सरकार का पत्र क्रमांक/6-MPB 051/2023-BHO/ दिनांक 21.09.2023

-----0-----

उपरोक्त संदर्भित पत्र का अवलोकन करें, त्वरित संदर्भ हेतु छायाप्रति संलग्न है। भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भोपाल ने प्रकरण में सैद्धांतिक स्वीकृति जारी करने के पूर्व 11 बिन्दुओं पर जानकारी चाही गई है।

अतः प्रकरण में भारत सरकार के चाहे अनुसार जानकारी वन मण्डलाधिकारी के माध्यम से शीघ्र इस कार्यालय को भिजवायें, ताकि प्रकरण में सैद्धांतिक स्वीकृति प्राप्त करने की कार्यवाही की जा सके।

संलग्न:-उपरोक्तानुसार।




(एच.एस. मोहन्ता)

अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध)  
मध्यप्रदेश, भोपाल  
भोपाल, दिनांक 27-9-23

पृ. क्रमांक/एफ-5/1293/2023/10-11/4324  
प्रतिलिपि:-

- 1- मुख्य वन संरक्षक (क्षेत्रीय), रीवा वृत्त, रीवा, मध्यप्रदेश।
- 2- वनमण्डलाधिकारी, सामान्य वन मण्डल, सिंगरौली, मध्यप्रदेश की ओर भेजकर लेख है कि आपसे एवं आवेदक से संबंधित जानकारी प्राप्त कर एकजाई जानकारी इस कार्यालय को भिजवायें, ताकि प्रकरण में स्वीकृति प्राप्त करने की कार्यवाही की जा सके।

संलग्न:-उपरोक्तानुसार।



अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध)  
मध्यप्रदेश, भोपाल





भारत सरकार / GOVERNMENT OF INDIA  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE

क्षेत्रीय कार्यालय, भोपाल / REGIONAL OFFICE, BHOPAL  
Kendriya Paryavaran Bhavan, Link Road No.3, E-5, Ravi Shankar Nagar,  
BHOPAL - 462016 (M.P.)

TEL: 0755-2466525 E-mail: rowz.bpl-mef@nic.in



क्रमांक: 6-एमपीबी 051/2023-बीएचओ

दिनांक : 21 /09/2023.

प्रति,

प्रधान सचिव (वन)  
मध्यप्रदेश शासन,  
वल्लभ भवन, भोपाल,  
(मध्यप्रदेश)।

विषय: सिंगरौली जिले में बैडन-1 ग्रामीण समूह जल प्रदाय योजना के अन्तर्गत पाईप लाईन बिछाने हेतु 3.4296 हेक्टेयर आरक्षित एवं संरक्षित वनभूमि (ऑनलाईन आवेदित 3;445 हे.) महाप्रबंधक, मध्यप्रदेश जल निगम मर्यादित, परियोजना क्रियान्वयन इकाई सिंगरौली को उपयोग पर देने बाबत (FP/MP/WATER/153484/2022)।

संदर्भ: नोडल अधिकारी, मध्यप्रदेश का पत्र क्रमांक एफ-5/1293/2023/10-11/3414 दिनांक 28/07/2023.

महोदय,

उपरोक्त विषयक एवं संदर्भित पत्र के संदर्भ में अधोहस्ताक्षरी को यह सूचित करने का निर्देश हुआ है कि प्रस्ताव से संबंधित अन्य बांछित जानकारी/स्पष्टीकरण की आवश्यकता है। अतः निम्नलिखित जानकारी/दस्तावेज प्रेषित करने का कष्ट करें :-

1. Administrative approval/ sanction letter of the project shall be submitted.
2. Full KML file of layout plan of forest area and non forest area (full project KML file) shall be submitted/uploaded.
3. Justification for location of the project in forest land (counter signed by DFO) shall be submitted/uploaded.
4. No objection certificates of concerned department (Railway, WRD, Road, TL etc) shall be submitted.
5. It is a new pipeline project, alternative alignment of with comparative statement shall be submitted.
6. KML file for alternative alignment shall be submitted/uploaded.
7. Detailed muck calculation and muck disposal scheme as approved by concerned DFO shall be submitted.
8. Component wise breakup of land required and component wise area calculation with the layout plan shall be submitted.
9. As per DSS analysis, some part of forest land does not included in proposed diversion area shall be clarified.

1/53620/2023

10. As per DSS analysis, the proposed diversion area is 7.53 km away from Son-Ghariyal WLS. Comments of CWLW, M.P. shall be submitted.

11. Suitability certificate for CA land shall be submitted.

उपरोक्त जानकारी प्रेषित किये जाने का अनुरोध है जिससे प्रस्ताव में आगामी कार्यवाही की जा सके।

भवदीय



(हरे राम कुमार)

तकनीकी अधिकारी (यानिकी)

प्रतिलिपि: अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध) एवं नोडल अधिकारी, मध्यप्रदेश शासन, सतपुड़ा भवन, भोपाल

1

Signed by Hare Ram Kumar

Date: 21-09-2023 18:12:46

Reason: Approved

मध्यप्रदेश शासन  
लोक स्वास्थ्य यांत्रिकी विभाग  
मंत्रालय, वल्लभ भवन भोपाल-462004

क्रमांक एफ 16-21/2020/2/34/(2951)

भोपाल, दिनांक 22 SEP 2020

प्रति,

प्रबंध संचालक  
मध्यप्रदेश जल निगम मर्यादित  
विन्ध्याचल भवन, भोपाल।

विषय - मध्यप्रदेश जल निगम मर्यादित द्वारा क्रियान्वित की जानेवाली समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति।

संदर्भ - प्रबंध संचालक, मध्यप्रदेश जल निगम मर्यादित, भोपाल का पत्र क्रमांक 6942 दिनांक 29.08.2020।

-0-

राज्य शासन एतद् द्वारा मध्यप्रदेश जल निगम मर्यादित द्वारा जल जीवन मिशन के अंतर्गत क्रियान्वित की जानेवाली निम्नानुसार 10 समूह जलप्रदाय योजनाओं की प्रशासकीय स्वीकृति प्रदान करता है :-

| क्र. | समूह जलप्रदाय योजना का नाम | जिला             | लागत (रु. करोड़ में) |
|------|----------------------------|------------------|----------------------|
| 1    | राजौद                      | धार              | 109.50               |
| 2    | मडिया                      | सागर             | 336.02               |
| 3    | आगर मालवा                  | आगर              | 557.35               |
| 4    | मडीखेड़ा                   | शिवपुरी          | 1096.96              |
| 5    | गोपीकृष्ण सागर             | गुना             | 461.98               |
| 6    | राजघाट                     | गुना एवं अशोकनगर | 1942.90              |
| 7    | नेमावर (हाटपिपलिया)        | देवास            | 237.00               |
| 8    | गोंड देवसर                 | सिंगरौली         | 470.49               |
| 9    | वैढन-1                     | सिंगरौली         | 637.27               |
| 10   | वैढन-2                     | सिंगरौली         | 261.53               |
| योग  |                            |                  | 6111.00              |

- 2/ योजनाओं का क्रियान्वयन जल जीवन मिशन के मापदण्डों एवं दिशा निर्देशों के अनुसार किया जाये, विस्तृत सर्वेक्षण उपरांत डिजाईन/ड्राईंग तैयार कर करायी जाये तथा योजना पर होने वाले व्यय को स्वीकृत राशि तक सीमित रखा जाये।
- 3/ यह आदेश मंत्रि-परिषद निर्णय के आइटम क्रमांक-18 दिनांक 15, सितम्बर 2020 के संदर्भ में जारी किया गया है।
- 4/ दिनांक 03.09.2020 को संपन्न परियोजना परीक्षण समिति की बैठक, तथा दिनांक 18.09.2020 को संपन्न राज्य स्तरीय योजना स्वीकृति समिति की बैठक, में उपरोक्त योजनाओं का अनुमोदन किया गया है। बैठकों के कार्यवाही विवरण (प्रति संलग्न) में दिये गये निर्देशों का पालन सुनिश्चित किया जाये।

संलग्न - उपरोक्तानुसार।

मध्यप्रदेश के राज्यपाल के नाम से  
तथा आदेशानुसार

(राजेश शाक्यवार)

उप सचिव


मध्य प्रदेश शासन  
लोक स्वास्थ्य यांत्रिकी विभाग

भोपाल, दिनांक 22 SEP 2020

पृ. क्रमांक एफ 16-21/2020/2/34/(2952)

प्रतिलिपि:-

1. निज सचिव, माननीय मंत्रीजी, लोक स्वास्थ्य यांत्रिकी विभाग।
2. सचिव, मध्यप्रदेश शासन, वित्त विभाग।
3. महालेखाकार, मध्यप्रदेश, ग्वालियर।
4. प्रमुख अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, म.प्र.भोपाल।
5. सलाहकार, राज्य योजना आयोग, भोपाल।
6. मुख्य अभियंता, लोक स्वास्थ्य यांत्रिकी विभाग, परिक्षेत्र.....।
7. आयुक्त, कोष एवं लेखा भोपाल।
8. संभाग आयुक्त, संभाग .....।
9. अधीक्षण यंत्री, लोक स्वास्थ्य यांत्रिकी विभाग .....मण्डल.....।
10. कलेक्टर, जिला .....।
11. परियोजना निदेशक, मध्यप्रदेश जल निगम मर्यादित, विन्ध्याचल भवन, भोपाल।
12. कार्यपालन यंत्री, लोक स्वास्थ्य यांत्रिकी खंड, .....।
13. कोषालय अधिकारी, जिला .....।

  
 मध्यप्रदेश शासन  
 लोक स्वास्थ्य यांत्रिकी विभाग



## Recommendation of DFO

1. वन मण्डल सिंगरौली के अंतर्गत प्रस्तावित वन भूमि 3.4296 हे० वन परिक्षेत्र गोरबी का कक्ष क्र० PF 99, 103, 146, 154, 184, 185, 187, 163, 190, 192, 193, 168, 167, 166, 171, 173, 194, 178, 179, 125, एवं RF 123, वन परिक्षेत्र कर्तुआ का कक्ष क्रमांक PF 20, 835, 836, एवं RF 97, 803, 810, 811, 799, 801, 798, 809, वन परिक्षेत्र जियावन का कक्ष क्रमांक RF 804, 805, 806, 812 आरक्षित वनभूमि है।
2. वन मण्डल सिंगरौली अंतर्गत प्रस्तावित वनभूमि 3.4296 हे० वन संरक्षण अधिनियम 1980(2) नियम 2003 के तहत महाप्रबंधक जल निगम मर्यादित परियोजना ई० सिंगरौली, ग्रामीण समूह जल प्रदाय योजना अंतर्गत वन भूमि पर पाइप लाइन बिछाने का प्रस्ताव है।
3. वन मण्डल सिंगरौली अंतर्गत प्रस्तावित वनभूमि कक्ष क्र० PF 99, 103, 146, 154, 184, 185, 187, 163, 190, 192, 193, 168, 167, 166, 171, 173, 194, 178, 179, 125, 20, 835, 836, एवं RF 123, 97, 803, 810, 811, 799, 801, 798, 809, 804, 805, 806, 812 वन मण्डल के प्रचलित कार्य आयोजना के अनुसार हाथी कॉरीडोर में सम्मिलित नहीं है। स्वीकृति की अनुशंसा की जाती है एवं अनाधिकृत अतिक्रमण क्षेत्र में पानी की पाईप लाइन बिछाने की अनुशंसा नहीं की जाती है।



(मधु व्ही० राज)  
वन मण्डल अधिकारी  
वन मण्डल सिंगरौली



**कार्यालय कार्यपालन यंत्री**  
**म.प्र. लोक निर्माण विभाग (म०/स०) सिंगरौली संभाग सिंगरौली (म०प्र०)**

web site: www.mp.gov.in/pwdmp

email:- eepwdsingrauli1@gmail.com

Phone- 07805-297420, Fax- 07805-297420

क्रमांक-353  
प्रति,

तकनीकी / 2021-22

सिंगरौली, दिनांक 10.12.22

✓ जनरल मैनेजर

म०प्र० जल निगम मर्यादित

पी०आई०यू० सिंगरौली (म०प्र०)

विषय :- मार्गों के शोल्डर में एवं शोल्डर के बाहर खोदकर व मार्गों की कटिंग करके पाइप लाइन बिछाने के संबंध में।

सन्दर्भ:- 1) मध्यप्रदेश शासन लोक निर्माण विभाग भोपाल का पत्र क्रमांक 1129/17/19/यो. भोपाल दिनांक 22.02.2017  
3) इस कार्यालय का पत्र क्र. 2502/तक./2021-22 सिंगरौली दिनांक 16.12.2021  
2) आपका पत्र क्र. 313/2021/म.प्र.जे.एन.एम./पी.आई.यू./सिंगरौली दिनांक 09.03.2022

—000—

उपरोक्त विषयान्तर्गत संदर्भ में लोक निर्माण विभाग (म०/स०) संभाग सिंगरौली विभाग के अन्तर्गत मार्गों के शोल्डर में एवं शोल्डर के बाहर खोदकर व मार्गों की कटिंग कर के नल जल पाइप लाइन बिछाने के लिए अनुमति चाही गई है। आपके यहां से एस बैंक की बैंक गारंटी क्रमांक 190BG07220590001 दिनांक 28.02.2022 राशि रु. 59.00 लाख प्राप्त हुआ है।

अतः नल जल पाइप लाइन बिछाने हेतु खुदाई की निम्नलिखित शर्तों के तहत अनुमति प्रदान की जाती है-

1. उक्त मार्ग के मध्य बिन्दु से 15.00 मीटर की दूरी पर 1.00 मीटर गहराई में पाइप लाइन होगा।
2. स्वीकृत प्रस्तावित मार्ग का डायग्राम कार्य स्थल पर रखना अनिवार्य होगा।
3. कार्य प्रारंभ करने के पूर्व अनुविभागीय अधिकारी/उपयंत्री को सूचित करने के पश्चात उनकी उपस्थिति में ले-आउट दिया जाय।
4. सड़क खुदाई की चौड़ाई 0.50 मीटर से अधिक न हो।
5. सड़क के किनारे जो पाइप लाइन डाली जाय उसकी भराई एवं कुटाई पश्चात् सड़क मार्ग को यथा स्थित में लाना अनिवार्य होगा।
6. प्रस्तावित रूट डायग्राम के अनुसार पाइप लाइन डाली जाय, किसी प्रकार का परिवर्तन मान्य नहीं होगा।
7. जहां कहीं पाइप लाइन पुल के उपर से गुजरेगी वहां पर पाइप लाइन डालने से पूर्व अधोहस्ताक्षरकर्ता के निर्देश प्राप्त करने के पश्चात डाली जाय।
8. सड़क कटिंग के समय मार्ग के आवागमन में किसी प्रकार का व्यवधान उत्पन्न नहीं होना चाहिए।
9. कार्य सम्पादन के समय किसी प्रकार की घटना, विवाद या शिकायत के लिए विभाग जिम्मेदार नहीं होगा।
10. 200 मी. से अधिक खुदाई एक बार में न करे, नाली भराई के बाद ही अगली खुदाई की जाये जिससे आवागमन बाधित न हो।

Chitranshu

11/5/22

D/2021/Sapna





**कार्यालय महाप्रबंधक**  
**एम.समीण सड़क विकास प्राधिकरण, परियोजना क्रियान्वयन इकाई बैदन**  
**जिला - सिंगरौली (म.प्र.)**

(एल.आई.जी. कॉलोनी के पास, यार्ड क्र. 37, भकान नं.-1, मनोरमा हाउस, विन्ध्यनगर) E-Mail : gmmprsdawaidhan@gmail.com  
पत्र क्रमांक / 1085 / तका / जल निगम / 2021 बैदन, दिनांक 10.11.21  
प्रति.

महाप्रबंधक  
म.प्र.जल निगम मर्यादित  
पी.आई.यू. सिंगरौली (म.प्र.)  
ई-मेल- gmmprjnmisingrauli@gmail.com

विषय- Regarding permission for pipeline laying along the PMGSY road and at crossings during execution of Waidhan-1 Multi Village Rural Water Supply Scheme District Singrauli.

संदर्भ- आपका पत्र क्र. 10/2021MPJNM/PIU/Singrauli दिनांक 21.10.2021

विषयांतर्गत संदर्भित पत्र द्वारा विकासखण्ड बैदन एवं चितरंगी में पी.एम.जी.एस.वाय. के अन्तर्गत निर्मित/निर्माणाधीन मार्गों के समानान्तर एवं क्रॉस होकर पाइप लाइन बिछाने की अनुमति चाही गई है। यह अनुमति पी.एम.जी.एस.वाय. के दिशा-निर्देशों के अनुसार प्रदान की जा रही है। शर्तों के अधीन पाइप लाइन बिछाने का कार्य किया जाये। पाइप लाइन बिछाने का कार्य निम्नलिखित शर्तों के अधीन अनुमति प्रदान की जाती है।

- 1 म.प्र. अर्बन डेवलपमेन्ट विभाग Pipe Line सड़क के किनारे अथवा सड़क को क्रॉस करने की स्थिति में म.प्र. अर्बन डेवलपमेन्ट विभाग द्वारा मार्ग में जहाँ-जहाँ Pipe Line बिछाई जाना है संपूर्ण जानकारी लाइन डाइग्राम में अंकित कर MPRRDA के सम्बन्धित महाप्रबंधक कार्यालय को अवगत कराया जावेगा, एवं सम्बन्धित महाप्रबंधक से अनुमति प्राप्त होने के उपरान्त म.प्र. अर्बन डेवलपमेन्ट विभाग कार्य प्रारंभ करा सकेगा।
- 2 Pipe Line को Right of Way के किनारे पर बिछाये जाने की कार्यवाही की जावेगी। जहाँ Right of Way की चौड़ाई सीमित है, अथवा अन्य कोई स्थाई बाधा या निर्माण है, वहाँ पर Pipe Line को सड़क की Drain को Clear करते हुए Toe Line के बाहर बिछाया जायेगा।
- 3 Pipe Line को यदि पूर्व निर्मित अथवा निर्माणाधीन रोड को क्रॉस करना आवश्यक है तो उस स्थिति में Pipe Line को जहाँ तक संभव हो सके वहाँ सड़क मार्ग में पूर्व निर्मित पुल एवं पुलियों के नीचे से क्रॉस कराये जाने की व्यवस्था की जावे। पूर्व निर्मित पुल पुलियों में Pipe Line बिछाये जाने के कार्य नाला अथवा नदी के Bed Level के नीचे Concrete Casing एवं Concrete Cover के साथ इस प्रकार संपादित कराया जावे कि निर्मित/निर्माणाधीन पुल पुलिया का Designed Water Way में परिवर्तन न हो। यह कार्य कराने की संपूर्ण जवाबदारी म.प्र. अर्बन डेवलपमेन्ट विभाग की होगी। (परन्तु यह अनुमति हयूम पाइप पुलिया के लिये लागू नहीं होगी) यदि Pipe Line सड़क को क्रॉस कर रही है तो उस स्थिति में Pipe Line के नीचे CC M-15 की 15 Cm bedding के पश्चात् Trench को Granular/Crushed Stone Material से भरने के पश्चात् ऊपर Wearing Coat के रूप में 20 CM मोटाई का CC M-30 से कार्य कराना होगा। Pipe Line यदि मार्ग के शोल्डर पर बिछाई जाती है तो बिछाने के पश्चात् Trench की Back Filling पुनः Granular/Crushed Stone Material से व्यवस्थित रूप से Watering Compaction के साथ किया जाना आवश्यक होगा।
- 4 Without encasement रोड कटिंग कर पाइप बिछाने की स्थिति में इस बात का विशेष ध्यान रखा जाएगा कि पाइप के ऊपर कम से कम 1.2 मी. का कूशन स्थापित हो तथा पाइप की Trench की भरायी 2 स्तर पर Granular Material से की जाएगी। प्रथम में पाइप के टॉप तक भरायी की समुचित Compaction कर द्वितीय स्तर में मार्ग के GSB स्तर तक भरायी कर समुचित Compaction किया जाएगा।
- 5 सड़क के किनारे Pipe Line बिछाने हेतु जो Trench खोदी जावेगी, उसमें खुदाई से प्राप्त मटेरियल सड़क के Formation Width के ऊपर नहीं डाला जावेगा। विशेष परिस्थितियों में खुदाई से प्राप्त मटेरियल Side Slope, Rain Cut में डाला जा सकेगा। खुदाई से प्राप्त अतिशेष मटेरियल PMGSY के सम्बन्धित कार्यालय के अधिकारियों के निर्देशानुसार Disposal किया जाना आवश्यक होगा।

F:LETTERS/PWD

**General Manager**  
**M.P. Jal Nigam Maryadit**  
**Project Implementation Unit**  
**Singrauli (M.P.)**





**MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED**

(Govt. of M.P. Undertaking)

**OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi**

**Rear MPFB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661**

**E-mail - dm-rewa2@mp.gov.in**

Letter No. 2/28.../MPRDC/APMS2971/2022

Sidhi, Date:- 21/10/2022

To,

General Manager,  
M.P. Jal Nigam Maryadit,  
PIU Singrauli (M.P.)

send to wrl & s c  
m(c)  
29/10



Sub:- Regarding permission for laying pipeline along Bargawan to Waidhan MDR road in a length of 11.551 Km. on LHS and in a length of 17.834 Km. on RHS in b/w Ch.0.000 to Ch.17.834 alongwith 04 road crossings at Ch.1.921, Ch.8.087, Ch.13.774 and Ch.17.380.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 11506/249/OTH/APMS2021/2971/MPRDC/2022, Dated- 29.09.2022.  
2. APMS Application No. APMS2021/2971, dated 08.10.2021.

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along Bargawan to Waidhan MDR road in a length of 11.551 Km. on LHS and in a length of 17.834 Km. on RHS in b/w Ch.0.000 to Ch.17.834 alongwith 04 road crossings at Ch.1.921, Ch.8.087, Ch.13.774 and Ch.17.380 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (GM, M.P Jal Nigam Maryadit, PIU Singrauli).

Contd....2





**MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED**

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi  
Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661  
E-mail - dm-rewa2@mp.gov.in

10

Letter No. 21/2 /MPRDC/APMS2981/2022

Sidhi, Date: 21/10/2022

To,

General Manager,  
M.P. Jal Nigam Maryadit,  
PIU Singrauli (M.P.)

Send to upl & sa  
m(c)

Sub:- Regarding permission for laying pipeline along MP-MDR-12-17 (Mada-Ramgarh road) from Ch. 0.000 to 19.870, total length 19.870 Kms.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. APMS2021/2981/MPRDC/2022, Dated- 29.09.2022.  
2. APMS Application No. APMS2021/2981, dated 09.10.2021.



With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-17 (Mada-Ramgarh road) from Ch. 0.000 to 19.870 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (GM, M.P. Jal Nigam Maryadit, PIU Singrauli).
10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

Contd....2





**MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED**

(Govt. of M.P. Undertaking)

**OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi**  
Near MPES Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661  
E-mail - dm-rewa2@mp.gov.in

12

Letter No. 2115.../MPRDC/APMS2980/2022

Sidhi, Date:- 21/10/2022

To,

✓ General Manager,  
M.P. Jal Nigam Maryadit,  
PIU Singrauli (M.P.)

Send to W.P.C. & S.O.C.  
m/c



Sub:- Regarding permission for laying pipeline along MP-MDR-12-14 (Parsona-Mada road) in a length of 11.943 Km. on LHS and in a length of 15.574 Km. on RHS in b/w Ch. 12.765 to Ch. 25.339 alongwith 02 road crossing at Ch.19.611 and Ch. 25.339

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 11508/254/OTH/APMS2021/2980/MPRDC/2022, Dated- 29.09.2022.  
2. APMS Application No. APMS2021/2980, dated 09.10.2021.

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along MP-MDR-12-14 (Parsona-Mada road) in a length of 11.943 Km. on LHS and in a length of 15.574 Km. on RHS in b/w Ch. 12.765 to Ch. 25.339 alongwith 02 road crossing at Ch.19.611 and Ch. 25.339 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (GM, M.P. Jal Nigam Maryadit, PIU Singrauli).

Contd....2





# M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

☎ : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

CIN : U45203MP2004SGC016758

15

No. 7541/253/OTH/APMS2021/2974/MPRDC/2022  
Bhopal dated 26/07/2022

To,  
Divisional Manager,  
M.P Road Development, Cor. Ltd.,  
Sidhi.

Sub: Regarding permission for laying pipeline along MP-MDR-12-12 from Ch. 0.000 to Ch. 2.811 and from ch.12.537 to Ch.22.495, i.e. total length 12.769 Km.

Ref: APMS Application No.APMS2021/2974, dated 08.10.2021.

In reference to the above mentioned subject in principle approval is hereby accorded and you are hereby authorized to issue the permission to General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, regarding permission for laying pipeline along MP-MDR-12-12 from Ch. 0.000 to Ch. 2.811 and from ch.12.537 to Ch.22.495, i.e. total length 12.769 Km., subject to the fulfillment of following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT& H guidelines and to the satisfaction of Divisional Manager, MPRDC.
3. The work shall be carried strictly in accordance with the provisions of the estimate.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by General Manager, M.P Jal Nigam Maryadit, PIU Singrauli.
10. All construction work shall be done under supervision of Divisional Manager, MPRDC. Divisional Manager will issue a completion certificate after completion of the work to the satisfaction of MPRDC.
11. General Manager, M.P Jal Nigam Maryadit, PIU Singrauli, shall get the approval of drawings and specification from Divisional Manager MPRDC for execution and should submit "As built drawing" after the completion work, within 30 days from date of actual completion of work at site.

Contd....2





**MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED**

(Govt. of M.P. Undertaking)

OFFICE OF THE DIVISIONAL MANAGER MPRDC DivSidhi  
Near MPEB Colony WARD No. 8, DistSidhi (M.P.) Pin No. 486661  
E-mail - dm-rewa2@mp.gov.in

16

Letter No. 109...../MPRDC/APMS2972/2023

Sidhi, Date:- 05 / 02 / 2023

To,

General Manager,  
M.P. Jal Nigam Maryadit,  
PIU Singrauli (M.P.)

Sub:- Regarding permission for laying pipeline along Chitrangi-Kasar road from Ch. 30.000 to 40.280 (LHS & RHS) alongwith 01 road crossing at Ch. 30.000.

Ref:- 1. Chief General Manager (Admin.), MPRDC Bhopal letter no. 16689/250/OTH/APMS2021/2972/MPRDC/2023, Dated- 11.01.2023.  
2. APMS Application No. APMS2021/2972, dated- 08.10.2021.

With reference to the letter & subject cited above, proposal submitted for Grant of permission to lay water pipeline along Chitrangi-Kasar road from Ch. 30.000 to 40.280 (LHS & RHS) alongwith 01 road crossing at Ch. 30.000 is approved in-principle with following conditions:-

1. Submission of X-Section at each crossing for crossing the road by HDD method showing depth of ground level and drilling level below road top level.
2. The execution of work will be done as per MoRT&H guidelines and to the satisfaction of this office (Divisional Manager, MPRDC).
3. The work shall be carried strictly in accordance with the provisions of the estimate & approved drawing.
4. Strict adherence to the safety requirements of IRC: SP-55 "Guidelines on Safety in road construction Zone" shall be ensured.
5. The execution of work will be done in accordance with the specification of Concession agreement and no diversion will be constructed.
6. You have to maintain the traffic for smooth movement.
7. The laying of Underground pipeline shall be strictly as per the MORTH Circular dated 22.11.2016 and as per the details indicated in the approved drawing. No change in the approved alignment of Underground pipeline will be entertained. Any deviation will result in automatic cancellation of the permission/approval.
8. It shall be ensured that no cross drainage Structure/Bridge shall be used to convey Underground water supply/Sewerage pipeline. Further, under no circumstances, the pipe line shall be allowed beneath existing carriageway except for road crossing permitted and no digging is permitted within carriageway.
9. All safety measures will be followed by you (GM, M.P. Jal Nigam Maryadit, PIU Singrauli).
10. All construction work shall be done under supervision of this office (Divisional Manager, MPRDC). This office will issue a completion certificate after completion of the work to the satisfaction of MPRDC.

Contd....2



## Muck Disposal Plan

18

### Annexure-1.

- 1) KML files for the non forest area and forest area are uploaded along with 3.445 hacs CA Land uploaded on Parivesh Web Portal.
- 2) Complete plan of water supply & KML depicting all components uploaded on Parivesh Web Portal.
- 3) No Objection Certificates from MPRDC and PMGSY is attached.
- 4) Component wise breakup for 66.773 kms of pipeline network 3.445 hacs land detail uploaded on Parivesh portal along with layout plan attached.
- 5) After laying of pipe line, excavated quantity will be used for filling of trench and levelling purpose, therefore there will be no muck disposed outside.

Excavated Volume-  $(66773 \times 0.51 \times 1) = 34054.23$  cum

Pipe Volume  $-(3.14 \times 0.2 \times 0.2 \times 66773) = 8386.68$  cum

Backfilled Soil -  $(34054.23 - 8386.68) = 25667.54$  cum

Remaining Muck (excavated soil – backfilled soil) = 8386.68

Note: Excavated soil shall be backfilled and levelled. And remaining muck (Equal to pipe volume) will be disposed off at available surplus revenue land (20.8 – 17) 3.8 ha. located at village pipri, teh: chitrangi khasra no. 245 allotted to MPJNM.



19

| Gravity Mains & Distribution Network Forest Details |                 |            |              |              |              |                |                    |              |            |           |                |
|-----------------------------------------------------|-----------------|------------|--------------|--------------|--------------|----------------|--------------------|--------------|------------|-----------|----------------|
| Proposal Number : FP/MP/WATER/153484/2022           |                 |            |              |              |              |                |                    |              |            |           |                |
| Sl. No.                                             | Proposal Number | Block name | Gram Panchay | Village Name | Forest Range | Type of Forest | Compartment Number | Diameter     | Length (M) | width (M) | Area (Hectare) |
| 1                                                   | 153484          | CHITRANGI  | Karlo        | Dhilari      | JYAVAN       | RF             | 806                | 90           | 948        | 0.500     | 0.0474         |
| 2                                                   |                 | CHITRANGI  | Karlo        | Dhilari      | JYAVAN       | RF             | 804                | 90           | 1180       | 0.500     | 0.0590         |
| 3                                                   |                 | CHITRANGI  | Karlo        | Dhilari      | JYAVAN       | RF             | 805                | 90           | 1098       | 0.500     | 0.0549         |
| 4                                                   |                 | CHITRANGI  | Karlo        | Dhilari      | JYAVAN       | RF             | 804                | 90           | 393        | 0.500     | 0.0197         |
| 5                                                   |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 941        | 0.500     | 0.0471         |
| 6                                                   |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 1198       | 0.500     | 0.0599         |
| 7                                                   |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 508        | 0.500     | 0.0254         |
| 8                                                   |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 240        | 0.500     | 0.0120         |
| 9                                                   |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 199        | 0.500     | 0.0100         |
| 10                                                  |                 | CHITRANGI  | Geer         | Badhnai      | JYAVAN       | RF             | 812                | 90           | 367        | 0.500     | 0.0184         |
| 11                                                  |                 | CHITRANGI  | Karlo        | Dhilari      | KARTHUA      | PF             | 835                | 90, 110      | 2439       | 0.500     | 0.1220         |
| 12                                                  |                 | CHITRANGI  | Karlo        | Dhilari      | KARTHUA      | PF             | 836                | 110          | 394        | 0.500     | 0.0197         |
| 13                                                  |                 | CHITRANGI  | Karlo        | Dhilari      | KARTHUA      | PF             | 836                | 110, 160     | 483        | 0.800     | 0.0386         |
| 14                                                  |                 | CHITRANGI  | Karlo        | Dhilari      | KARTHUA      | RF             | 809                | 160          | 103        | 0.500     | 0.0052         |
| 15                                                  |                 | CHITRANGI  | Karlo        | Karlo        | KARTHUA      | RF             | 803                | 90           | 414        | 0.500     | 0.0207         |
| 16                                                  |                 | CHITRANGI  | Karlo        | Karlo        | KARTHUA      | RF             | 803                | 90           | 1370       | 0.500     | 0.0685         |
| 17                                                  |                 | CHITRANGI  | Karlo        | Karlo        | KARTHUA      | RF             | 803                | 90           | 876        | 0.500     | 0.0438         |
| 18                                                  |                 | CHITRANGI  | Karlo        | Karlo        | KARTHUA      | RF             | 803                | 90           | 392        | 0.500     | 0.0196         |
| 19                                                  |                 | CHITRANGI  | Karlo        | Karlo        | KARTHUA      | RF             | 803                | 90           | 162        | 0.500     | 0.0081         |
| 20                                                  |                 | CHITRANGI  | Geer         | Badhnai      | KARTHUA      | RF             | 810                | 90           | 2207       | 0.500     | 0.1104         |
| 21                                                  |                 | CHITRANGI  | Geer         | Badhnai      | KARTHUA      | RF             | 810                | 90           | 303        | 0.500     | 0.0152         |
| 22                                                  |                 | CHITRANGI  | Geer         | Badhnai      | KARTHUA      | RF             | 810                | 90           | 296        | 0.500     | 0.0148         |
| 23                                                  |                 | CHITRANGI  | Geer         | Badhnai      | KARTHUA      | RF             | 811                | 90           | 1422       | 0.500     | 0.0711         |
| 24                                                  |                 | CHITRANGI  | Karlo        | Godawar      | KARTHUA      | RF             | 799                | 90           | 1417       | 0.500     | 0.0709         |
| 25                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 801                | 90           | 115        | 0.500     | 0.0058         |
| 26                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 801                | 90           | 401        | 0.500     | 0.0201         |
| 27                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 801                | 90           | 746        | 0.500     | 0.0373         |
| 28                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 90           | 226        | 0.500     | 0.0113         |
| 29                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 90           | 201        | 0.500     | 0.01005        |
| 30                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 90           | 408        | 0.500     | 0.0204         |
| 31                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 110          | 529        | 0.500     | 0.02645        |
| 32                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 90           | 1249       | 0.500     | 0.06245        |
| 33                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 798                | 90           | 337        | 0.500     | 0.01685        |
| 34                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 97                 | 110          | 212        | 0.500     | 0.0106         |
| 35                                                  |                 | CHITRANGI  | Deori I      | Sundar       | KARTHUA      | RF             | 97                 | 90           | 122        | 0.500     | 0.0061         |
| 36                                                  |                 | CHITRANGI  | Belhawa      | Bilauha      | KARTHUA      | PF             | 20                 | 90           | 470        | 0.500     | 0.0235         |
| 37                                                  |                 | CHITRANGI  | Belhawa      | Bilauha      | KARTHUA      | PF             | 20                 | 90           | 136        | 0.500     | 0.0068         |
| 38                                                  |                 | CHITRANGI  | Belhawa      | Bilauha      | KARTHUA      | PF             | 20                 | 90           | 246        | 0.500     | 0.0123         |
| 39                                                  |                 | CHITRANGI  | Katarihar    | Saketi       | GORBI        | PF             | 99                 | 90           | 670        | 0.500     | 0.0335         |
| 40                                                  |                 | CHITRANGI  | Katarihar    | Saketi       | GORBI        | PF             | 99                 | 90           | 341        | 0.500     | 0.01705        |
| 41                                                  |                 | CHITRANGI  | Kapurdehi    | Jamti hawa   | GORBI        | PF             | 103                | 90           | 302        | 0.500     | 0.0151         |
| 42                                                  |                 | CHITRANGI  | Kapurdehi    | Jamti hawa   | GORBI        | PF             | 103                | 90           | 971        | 0.500     | 0.04855        |
| 43                                                  |                 | CHITRANGI  | Kapurdehi    | Jamti hawa   | GORBI        | PF             | 103                | 90           | 349        | 0.500     | 0.01745        |
| 44                                                  |                 | CHITRANGI  | Kapurdehi    | Jamti hawa   | GORBI        | PF             | 146                | 90           | 786        | 0.500     | 0.0393         |
| 45                                                  |                 | CHITRANGI  | Kapurdehi    | Jamti hawa   | GORBI        | PF             | 146                | 90           | 408        | 0.500     | 0.0204         |
| 46                                                  |                 | CHITRANGI  | Sidhar       | Sidhar       | GORBI        | PF             | 154                | 90           | 1076       | 0.500     | 0.0538         |
| 47                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 184                | 90           | 1972       | 0.500     | 0.0986         |
| 48                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 184                | 90           | 390        | 0.500     | 0.0195         |
| 49                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 185                | 90           | 1807       | 0.500     | 0.09035        |
| 50                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 185                | 90           | 1132       | 0.500     | 0.0566         |
| 51                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 185                | 90           | 537        | 0.500     | 0.02685        |
| 52                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 185                | 90           | 287        | 0.500     | 0.01435        |
| 53                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 185                | 200, 200     | 807        | 0.800     | 0.06456        |
| 54                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 187                | 90           | 1015       | 0.500     | 0.05075        |
| 55                                                  |                 | CHITRANGI  | Silfori      | Khairchhan   | GORBI        | PF             | 163                | 90           | 892        | 0.500     | 0.0446         |
| 56                                                  |                 | CHITRANGI  | Silfori      | Khairchhan   | GORBI        | PF             | 163                | 90           | 868        | 0.500     | 0.0434         |
| 57                                                  |                 | CHITRANGI  | Churki       | Churki       | GORBI        | PF             | 187                | 90           | 1695       | 0.500     | 0.08475        |
| 58                                                  |                 | CHITRANGI  | Gorbi        | Gorbi        | GORBI        | PF             | 190                | 90, 200      | 1270       | 0.800     | 0.1016         |
| 59                                                  |                 | CHITRANGI  | Gorbi        | Gorbi        | GORBI        | PF             | 190                | 90           | 327        | 0.500     | 0.01635        |
| 60                                                  |                 | CHITRANGI  | Mahdeiya     | Mahdeiya     | GORBI        | PF             | 192                | 90, 110      | 159        | 0.500     | 0.00795        |
| 61                                                  |                 | CHITRANGI  | Mahdeiya     | Mahdeiya     | GORBI        | PF             | 192                | 110          | 687        | 0.500     | 0.03435        |
| 62                                                  |                 | CHITRANGI  | Mahdeiya     | Mahdeiya     | GORBI        | PF             | 192                | 110          | 678        | 0.500     | 0.0339         |
| 63                                                  |                 | CHITRANGI  | Mahdeiya     | Mahdeiya     | GORBI        | PF             | 192                | 90           | 919        | 0.500     | 0.04595        |
| 64                                                  |                 | CHITRANGI  | Kasar        | Kasar        | GORBI        | PF             | 193                | 90, 110, 160 | 1687       | 0.500     | 0.08435        |
| 65                                                  |                 | CHITRANGI  | Bagaiya      | Bagaiya      | GORBI        | PF             | 168                | 90           | 706        | 0.500     | 0.0353         |
| 66                                                  |                 | CHITRANGI  | Bagaiya      | Bagaiya      | GORBI        | PF             | 168                | 90           | 1070       | 0.500     | 0.0535         |
| 67                                                  |                 | CHITRANGI  | Bagaiya      | Bagaiya      | GORBI        | PF             | 168                | 90           | 963        | 0.500     | 0.04815        |
| 68                                                  |                 | CHITRANGI  | Bagaiya      | Bagaiya      | GORBI        | PF             | 168                | 90           | 645        | 0.500     | 0.03225        |
| 69                                                  |                 | CHITRANGI  | Bagaiya      | Bagaiya      | GORBI        | PF             | 168                | 90           | 353        | 0.500     | 0.01765        |









कार्यालय  
वन मंडल अधिकारी  
सिंगरौली (म.प्र.)

E-Mail-dfot.sgl@mp.gov.in

फोन नम्बर-07805-233336

क्रमांक/मा0चि0/ 63/68

वैद्वन, दिनांक-29-08-2022

प्रति,

कलेक्टर

सिंगरौली, जिला-सिंगरौली

विषय:-

वन अनुमति के प्रकरणों हेतु वैकल्पिक वृक्षारोपण के लिये भूमि का चयन।

संदर्भ:-

महाप्रबंधक म0प्र0 जल निगम मर्यादित परियोजना क्रियान्वयन इकाई सिंगरौली जिला  
पत्र क्र0 1208/महा.प्रब./म.प्र.ज.नि.मर्या./परि.क्रि.ई./2022 दिनांक 10/08/2022

---000---



विषयातर्गत सदर्भित के संबंध में लेख है कि म0प्र0 जल निगम द्वारा विभिन्न प्रकरणों में प्रभावित वन भूमि के बदले इस विभाग को वैकल्पिक वृक्षारोपण हेतु गैर वनभूमि दिया जाना है जिसका स्थल निरीक्षण संलग्न सूची अनुसार वन परिक्षेत्र अधिकारी कर्तुआ से कराया गया, जो निम्नानुसार है:-

| स्थल का नाम  | प्रस्तावित खसरे का कुल क्षेत्र (हे० में) | खसरा क्रमांक                                           | वैकल्पिक वृक्षारोपण हेतु उपर्युक्त भूमि (अतिक्रमण रहित) हे० में | वैकल्पिक वृक्षारोपण हेतु उपर्युक्त भूमि के खसरे        | रिमार्क                                                                                                                                                  |
|--------------|------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| नीगई द्वितीय | 111.30                                   | 64, 67, 68, 69, 70, 71, 72, 73, 76, 77, 78, 79, 80, 84 | 78.544                                                          | 64, 67, 68, 69, 70, 71, 72, 73, 76, 77, 78, 79, 80, 84 |                                                                                                                                                          |
| पिपरी (बानी) | 65.91                                    | 245, 447, 448, 449, 450, 457, 465, 478, 489, 491, 497  | 17.000                                                          | 245                                                    |                                                                                                                                                          |
| सोनहस, पडरी  | 57.06                                    | 16/1, 65, 66, 83, 84, 85, 86, 87, 88                   | 0.000                                                           | 0                                                      | राजस्थान भूमि के सम्पूर्ण क्षेत्र में प्राकृतिक रूप से मिश्रित प्रजाति का जंगल सघन मात्रा में मौजूद है जो कि वैकल्पिक वृक्षारोपण हेतु उपर्युक्त नहीं है। |
|              | 234.27 हे०                               | योग                                                    | 95.544 हे०                                                      |                                                        |                                                                                                                                                          |