

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from U.P. Bridge Corporation Ltd. for diversion under (FCA-1980) of 1.24014..... hect. of forest land non-forestry propose. The Project envisage the use of forest land for construction of Railways over Bridge widening. The site inspection of the land involved in the proposal has done by me on dated 30.08.2021

On inspection of the site, it is found that the land required by the user agency is a RF/unclassed/protect forest measuring 1.24014.... hect. The requirement of forest land as proposed by the under agency in col. 2 part-1 is unavoidable and is breast minimum required for the project.

Whether any rare/endangered/unique species of Flora and Funna found in the area if, so the details there of N/A.... Whether any protected archeological/heritage site/defense establishment or any other important monuments is located in the area, if so the details there of with NOC from competent authority, if required:-

- (a) The user agency has not violated the provisions, of forest (Conversion) Act, 1980 and no work has been started without proper sanction. (✓)
- (b) It has been found that the user agency has violated the forest (Conversion) Act, 1980 Provisions. A details report as per para 1.9 of chapter-1, para-C of hand book of forest (Conversion) Act, 1980 is attached. (✗)

Specific recommendation for acceptance or otherwise the proposal.

Place : Gonda

Dated : 30.08.2021


प्रधानी वनाधिकारी
गोंडा वन प्रभाग
गोंडा (उ०प्र०)