



**कार्यालय अधिशासी अभियन्ता  
निर्माण खण्ड लोक निर्माण विभाग  
गैरसैण**

Phone N0/ Fax No: 01363.278533

Mail: eecdgairsain@rediffmail.com

पत्रांक 1051 / 1LA

दिनांक 05/09/2017

सेवा में,

अपर वन संरक्षक एवं नोडल अधिकारी  
वनसंरक्षण इन्दिरानगर फॉरेस्ट कालोनी  
उत्तराखण्ड देहरादून।

विषय :- प्रस्तावित खजूरखाल से निगलानी-तिमुलपानी-गोगनानी मोटर मार्ग में लगाई गयी आपत्तियों के निराकरण के सम्बन्ध में।

**सन्दर्भ:-FP/UK/ROAD/17042/2015, EDS dated 04/09/2017**

उपरोक्त विषयक सन्दर्भित पत्र के अनुपालन में आपके द्वारा लगाई गयी आपत्तियों का निराकरण कर प्रेषित किया जा रहा है।

क्र	आपत्ति	निराकरण किया गया या नहीं
1	The justification for locating the project in forest land is not uploaded in Part I	Uploaded in additional files S.N-06
2	The NPV calculation done for taking Eco class I while in Part II the Eco class is mentioned as V. The State Govt may review the Eco class and provide correct detail in Part II	Related to DFO
3	The number of trees proposed to be felled including trees of dia 0-10 cm is 314, it means 105 trees per hectare that does not account for 0.5 density. The State Govt may review and correct the density accordingl	Related to DFO
4	The CA stipulation against total forest land diverted in the district is not commensurate. The State Govt may do the necessary correction and provide clarification for poor CA in the district	Related to DFO
5	The trees proposed to be felled as per details provided in hard copy of the proposal is 171 while in online Part II entry made of only 169 trees need necessary correction	Related to DFO
6	The information pertaining to wildlife in online Part II is not correctly give	Related to DFO
7	The information regarding working plan prescription of the area proposed for diversion is not correctly filled	Related to DFO

10.5.09.17  
अधिशासी अभियन्ता  
निर्माण खण्ड लोक निर्माण विभाग  
गैरसैण (समोली)