



INDIACompensatory Afforestation Area

D. R. O., South Sugar


Proposed area of Compensatory Afforestation (in Ha.) = 96.00



Index to Sheets

$54\frac{1}{6}$	$54\frac{1}{10}$	$54\frac{1}{14}$
$54\frac{1}{7}$	$54\frac{1}{11}$	$54\frac{1}{15}$
$54\frac{1}{8}$	$54\frac{1}{12}$	$54\frac{1}{16}$

भारत के महत्त्वपूर्ण मेजर जनरल गिरिश चन्द्र अग्रवाल, पी.ई. (आयुर्वेद) (सिद्धि), एम.एस.सी. पा.पुन.ई. (आयुर्वेद), एफ.आर्.एस., एम.बी.ए., एम.प.एस.ए.
Published under the direction of Major General Girish Chandra Aggarwal, B.E. (Hons.) (Ch), M.Sc. Ph.E. (I.T.C.), F.I.S., M.C.A., M.A.S.P.R.S., S.
1986.



HEIGHTS & CONTOURS IN METRES
CONTOUR INTERVAL 10 METRES

Water features are shown in blue where they generally contain water.
Cultivated areas are coloured yellow.
The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribands.

Contours are approximate.
A relative height, Δr , represents approximate height, in metres, between top and bottom of a steep slope.
Wooded areas are coloured green.
Trees and other vegetation are in prominent survived trees are in



No. F44A14

Scale 1:50,000

F44A9 (55/9)	F44A13 (55/13)	F44B1 (55M/1)
F44A10 (55/10)	Sagar MADHYA PRADESH F44A14 (55/14)	F44B2 (55M/2)
F44A11 (55/11)	F44A15 (55/15)	F44B3 (55M/3)

1 Damoh, Madhya Pradesh.
2 Narsimhapur, Madhya Pradesh.

भारतीय सर्वेक्षण विभाग
1st Edition 2008.

SURVEY OF INDIA

Rs. 85 (Rs. Eighty Five)

Price : Rs. 50/-

CONVENTIONAL SYMBOLS

- Express Highway: with toll; with bridge; with distance stone
- Roads, metalled, according to importance
- Roads, double carriageway, according to importance
- Unmetalled road: Cart-track, Push-track with pass, Foot-path
- Streams: with track in bed; undrained; Canal
- Dams: masonry or rock-fill; earthen; Water
- River: dry with water channel; with island & rocks; Tidal river
- Submerged rocks. Shoal. Swamp. Reeds
- Wells: lined; unfired. Tube-well. Spring. Tank; perennial; dry
- Embankments: road or rail; tank. Broken ground
- Railways, broad gauge: double; single with station; under constr.
- Railways, other gauges: double; single with distance stone; do.
- Mineral line or tramway. Kite. Cutting with tunnel
- Contours with sub-features: Rocky slopes. Cliffs
- Sand features: (Wind-blown) dunes. (Shaded) dunes
- Towns or Villages: inhabited; deserted. Fort
- Huts: permanent; temporary. Tower. Antennae
- Temples, Chhatra, Church, Mosque, Jagin, Tomb, Graves
- Lighthouse. Lightship. Buoy: lighted; unlighted. Anchorage
- Mine. View on traffic. Gravel. Scrub
- Palms: palm-tree; other. Plantain. Conifer. Bamboo. Other trees
- Areas: cultivated; wooded. Surveyed area
- Boundary: international
- state: demarcated; undemarcated
- district: subdivision, taluk or taluk; forest
- Boundary pillars: surveyed; unlocated
- Heights, triangulated: station; pole; approximate
- Bench-mark: geodetic; tertiary; canal
- Post office. Telegraph office. Overhead tank
- Rest house or inspection bungalow. Circuit house. Police station
- Camping ground. Forest: reserved; protected
- Spaced names: administrative; locality or tribal
- Hospital. Dispensary. Veterinary. Hospital / Dispensary
- Aerodrome. Helipad. Tourist site
- Power line: with pylons surveyed; with poles unsurveyed


REFERENCE

NS 26 National Highway No. 26

NOTES

- Heights are in metres and above mean sea level.
- Contours are approximate.
- A relative height, e.g., 30, represents a height of 30 metres between the top and bottom of a steep slope.


COMPILATION INDEX



Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 1° West in 2005.

(Decreasing by about 1' annually).




For further details about this map, please contact
Director
Madhya Pradesh Geo-Spatial Data Centre
Survey of India
Survey Colony, Vijaynagar
Jabalpur.
Fax : 0761 - 2644683

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited
without the written permission of Survey of India, the
National Mapping Agency.

© GOVERNMENT OF INDIA COPYRIGHT, 2008.



REG. No. 8586-SPG D/99 (Madhya Pradesh GDC-150,000)-1510.

Compensatory Afforestation Area



भारत के सर्वेक्षण के निदेशन से प्रकाशित,
Published under the direction of Surveyor General of India,
Survey of India, Hithibarkata Estate, Post Box No. 37, Dehradun - 248001 (Uttarakhand),
Department of Science & Technology, Government of India.

PRINTED AT THE SOUTHERN PRINTING GROUP OF SURVEY OF INDIA.



निर्वात के लिए नहीं NOT FOR EXPORT

OPEN SERIES
MAP

No. F44A9

Scale 1:50,000

G44S8 (54L/8)	G44S12 (54L/12)	G44S16 (54L/16)
F44A5 (55I/5)	F44A9 (55I/9)	F44A13 (55I/13)
F44A6 (55I/6)	F44A10 (55I/10)	F44A14 (55I/14)

MADHYA PRADESH

1 Lalitpur, UTTAR PRADESH.
2 Vidisha, MADHYA PRADESH.

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2010.

No. 85 (Rs. Eighty Five)

CONVENTIONAL SYMBOLS

Express Highway: with toll; with bridge; with distance stone	...
Roads, metalled: according to importance	...
Roads, double carriageway: according to importance	...
Unmetalled road, Cart-track, Path-track with pass, Foot-path	...
Streams: with track in bed; undefined. Canal	...
Dams: masonry or rock-filled; earthenwork. Well	...
River: dry with water channel; with island & rocks. Tidal river	...
Submerged rocks, Shoal, Swamp, Reeds	...
Wells: lined; undefined. Tube-well. Spring. Tanks: perennial; dry	...
Embankments: road or rail; tank. Broken ground	...
Railways, broad gauge: double; single with station; under construction	...
Railways, other gauges: double; single with distance stone; dry	...
Miscellaneous line or tramway. Kib. Cutting with tunnel	...
Contours with sub-features. Rocky slopes. Cliffs	...
Sand features: (Wind-blown-hills permanent). (Dunes/shifting)	...
Towns or Villages: inhabited; deserted. Fort	...
Huts: permanent; temporary. Tower. Antiquities	...
Temples, Chhatis, Church, Mosque, Idgah, Tomb, Graves	...
Lighthouses, Lightship, Buoy: lighted; unlighted. Anchorage	...
Mine. Vine on trellis. Grass. Scrub	...
Palms: palmyra; other. Plantain. Conifer. Bamboo. Other trees	...
Area: cultivated; wooded. Surveyed tree	...
Boundary, international	...
state demarcated; undemarcated	...
district; subdivision, taluk or taluk; forest	...
Boundary pillars: surveyed; unlocated; village	...
Height, triangulated: station; point; approximate	...
Bench-mark: geodetic; tertiary; canal	...
Post office. Telegraph office. Overhead tank	...
Rest house or inspection bungalow. Circuit house. Police station	...
Camping ground. Forest: reserved; protected	...
Speed names: administrative; locality or tribal	...
Hospital. Dispensary. Veterinary: Hospital / Dispensary	...
Aerodrome. Helipad. Tourist site	...
Power line: with pylons surveyed; with poles unsurveyed	...

REFERENCE

NH 26 National Highway

NOTES

Heights are in metres and above Indian mean sea level.
Contours are approximate.
The triangulated heights and contours, in this sheet, have not been adjusted to the heights of the spirit levelled, bench-marks, and may not be strictly in accordance with them.
A relative height, e.g., 20, represents the approximate height, in metres, between the top and bottom of a steep slope.

COMPILATION INDEX

A Surveyed during 1970-71; Updated for major details during 2004-05.

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 1° West in 2005.
(Decreasing by about 1' annually).

1:50,000

500 m to 1 cm
2 cm to 1 km
3 Kilometres

CONTOUR INTERVAL 20 METRES

For further details about this map, please contact

Director

Madhya Pradesh Geo-Spatial Data Centre

Survey of India

Survey Colony, Vijaynagar


Jabalpur.

Fax : 0761 - 2644683

WEBSITE - www.surveyofindia.gov.in

Reproduction in whole or part by any means is prohibited
without the written permission of Survey of India, the
National Mapping Agency.

GOVERNMENT OF INDIA COPYRIGHT, 2010.



Compensatory Afforestation Area



भारत के सर्वेक्षण के विभाग ने प्रकाशित,
Published under the direction of Surveyor General of India
Survey of India, Hattibarkala Estate, Post Box No. 37, Dehra Dun - 248001 (Uttarakhand),
Department of Science & Technology, Government of India.

PRINTED AT THE EASTERN PRINTING GROUP OF SURVEY OF INDIA.

Compensatory Afforestation Area
at Vill. Sahappuri Kalan, Distt. SAGAR M.P.
for KADAN MEDIUM PROJECT
(Kh. No 1/4)

Area of Compensatory Afforestation (in Ha.) = 6.70

[illegible]

Index to Sheets

$SS\frac{1}{13}$	$SS\frac{M}{1}$	$SS\frac{M}{5}$
$SS\frac{1}{14}$	$SS\frac{M}{2}$	$SS\frac{M}{6}$
$SS\frac{1}{15}$	$SS\frac{M}{3}$	$SS\frac{M}{7}$

500 m to 1 cm D. F. O., South Sugar 1: 50,000 1975.

HEIGHTS & CONTOURS IN METRES
CONTOUR INTERVAL 20 METRES

*Water features are shown in blue where they generally contain water.
 *Cultivated areas are coloured yellow.
 The exterior boundaries of areas of Reserved or Protected Forests are shown by green ribbons.
 Contours are approximate
 A relative height, *d.r.*, represents the approximate height, in metres, between the top and bottom of a steep slope.
 Wooded areas are coloured green. Scattered trees and other vegetation are in green, but prominent surveyed trees are in black.

*Not applicable.

The kilometre stone numbers along roads are shown in slant type e.g., '5' whereas milestone numbers are shown in upright type, e.g., '5'.

Administrative Index

प्रवारी मंत्रालय
म. प्र. पू. लक्ष्मी आ. मंत्र
भारतीय सर्वेक्षण विभाग
जयपुर (म. प्र.)

[illegible]


1st Edition 1975.
(Previous Edition on 1-inch scale: 1st 1910).

REFER TO THIS MAP AS :- 1:50,000
SHEET 55 M/2 FIRST EDITION

Compensatory Afforestation Area



Compensatory Afforestation Area
at Vill. Muderer, Distt. SAGAR M.P.
for KADAN MEDIUM PROJECT
(Kh. No. 47 / 1)
Area of Compensatory Afforestation (in Ha.) = 47.00



निर्यात के लिए नहीं NOT FOR

OPEN SERIES
MAP

No. F44B4

Scale 1:50,000

Sagar MADHYA PRADESH F44A15 (55I/15)	F44B3 (55M/3)	Damoh MADHYA PRADESH F44B7 (55M/7)
3 F44A16 (55I/16)	F44B4 (55M/4)	2 F44B8 (55M/8)
F44G13 (55J/13)	Narsimhapur MADHYA PRADESH F44H1 (55N/1)	F44H5 (55N/5)

1 Chhindwara, MADHYA PRADESH.
2 Jabalpur, MADHYA PRADESH.
3 Raigarh, MADHYA PRADESH.

**Compensatory Afforestation at Vill Bhelaiyna Range
Bandri Distt. SAGAR (M.P.)
KADAN MEDIUM PROJECT
Khasra No. 402/1/2
Proposed Area of Compensatory afforestation (in Ha.)=30**

