

Proposal of diversion of 0.6050 hectare Protected Forest land for Laying of 8", 4" and 125mm MDPE dia natural gas pipe line at ,Muzaffarnagar Tiraha Thana Bhawan to Azlz Petrol Pump, NH- 709B old km. chainage 118.345 to 119.645, Saharapur tiraha shamli to Kronrha Hathi NH709AD old chainage km. 38.000 to 43.000 and Vijay Takij to Carriers Wheels NH-709AD old chainage km. 37.200 to 31.700 Total Lenth 12.100 km. in social forestry division Shamli

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा भूमिगत सी0एन0जी0/पी0एन0जी0 पाईपलाईन डालने एवं संरक्षित वन भूमि के गैर वानिकी प्रयोग के सम्बन्ध में जारी दिशा निर्देश FC-11/165/2019-FC दिनांक- 27.07.2020 में उल्लिखित शर्तों के क्रम में प्रमाण पत्र।

प्रमाणित किया जाता है कि इन्द्रप्रस्थ गैस लि0 नई दिल्ली द्वारा विषयक प्रस्ताव में पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा भूमिगत सी0एन0जी0/पी0एन0जी0 पाईपलाईन डालने एवं संरक्षित वन भूमि के गैर वानिकी प्रयोग के सम्बन्ध में जारी दिशा निर्देश FC-11/165/2019-FC दिनांक- 27.07.2020 में उल्लिखित शर्तों के अनुसार-

Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines. General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (except condition "f"), subject to the following specific conditions:

- No tree felling is involved for the proposed work
- After completion of the project the area under RoW should be reclaimed suitably.
- UA agrees to make good of any loss to Forest/Environment.
- The UA will seek permission from the local FD for carrying out any maintenance.
- In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.
- In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.

उपरोक्त शर्तों के अन्तर्गत जनपद शामली में 02 मीटर गहराई व 01 मीटर चौड़ाई से कम(1.5 मी0 गहराई × 0.5मी0) वीमा के अन्तर्गत 0.6050 है0 संरक्षित वन भूमि में बिना वृक्ष पातन भूमिगत गैस पाईप लाईन डाली जानी प्रस्तावित है। जिसमें दिशा निर्देश FC-11/165/2019-FC दिनांक- 27.07.2020 के बिन्दु संख्या-3 के अनुसार" FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees."

उपरोक्त निर्देशानुसार क्षतिपूरक वनीकरण अपेक्षित नहीं है तदनुसार क्षतिपूरक वनीकरण से संबंधित अभिलेखों को प्रस्ताव के साथ संलग्न करने की आवश्यकता नहीं है।

11-10-2021
प्रभागीय वनाधिकारी
शामली वन प्रभाग
शामली
प्रभागीय वनाधिकारी
शामली वन प्रभाग
शामली

Government of India
Ministry of Environment Forests & Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj
5th Floor, Agni Wing
New Delhi-110003
Dated: 27th July, 2020

To,
The Principal Secretary (Forests)
All States/UTs

Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval, under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines-reg.

Sir,

I am directed to refer to the representation received from the Government of Punjab through Regional Office Chandigarh vide letter no. 1-2Misc/2019-ROC dated 08.01.2020 on the above mentioned subject and to inform that the matter was considered by the Forest Advisory Committee (FAC) in its meeting held on 23.04.2020.

2. FAC observed that as per existing guidelines dated 28.03.2019, condition mentioned in Para 4.1 (f) is also applicable on the proposals mentioned in Para 4.2. It further observed that laying of underground CNG/PNG and Slurry pipelines in RoW of the existing road is an activity being taken up in forest area which is already under non forest use.

3. After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees.

4. In view of the above, Para 4.2 of the Comprehensive Guidelines issued on 28.03.2019 may be read as:

Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines. General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (*except condition "f"*), subject to the following specific conditions:

- No tree felling is involved for the proposed work
- After completion of the project the area under RoW should be reclaimed suitably.
- UA agrees to make good of any loss to Forest/Environment

छाया प्रति प्रमाणित

पुनः-२१
(स. वि. वि. भा. वि. वि.)
प्रभागीय वनाधिकारी
शामली वन प्रभाग
शामली

- d. The UA will seek permission from the local FD for carrying out any maintenance.
- e. In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.
- f. In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.

This issues with the approval of the competent authority.

Your faithfully,

(Sandeep Sharma)

Asst. inspector General of Forests

Copy to:

1. The PCCF (HoFF), Department of Forest, All States/UTs.
2. The DDGFs(Central), MoEF&CC, All Regional Offices.
3. The Nodal officer (FCA), Department of Forest, All states/UTs.
4. Monitoring cell of FC Division with request to upload on PARIVESH portal

छाया प्रति प्रमाणित

५/०१-१०-२१
श्री. विनय कुमार सिंह
प्रभागीय वनाधिकारी
शामली वन प्रभाग
शामली

Signature Not Verified

Digitally signed by SANDEEP
ARMA
Date: 2020.07.28 17:18:20 IST

