

**Gas Distribution Network in Dadra & Nagar Haveli Area (Anklas – Nagvas village & Looping DNH (PE) Connectivity): Diversion of 0.0418 Hectare Protected Forest land for laying 90 mm dia MDPE pipeline parallel to Road side strip plantation declared as Protected Forest for Kanadi village Surrounding Area of Dadra and Nagar Haveli (U/T).**

**JUSTIFICATION FOR LOCATING THE PROJECT IN FOREST LAND**

In consideration of the requirements of Environmental parameters, construction methodologies to be adopted for different terrain encountered en-route, design and engineering factors, availability of logistic support during construction, operation and maintenance of pipeline, various feasible routes were identified by the Consultant **M/s. Secon Pvt. Ltd**, based on desk study of relevant topographic maps of Survey of India.

The study was subsequently supplemented with field reconnaissance and data collection along the feasible routes. Finally the optimum route was arrived at after analyzing the various data and conducting in depth study of topographic maps based on field data.

**Methodology of selection of pipeline route**

Relevant topographic maps along the various alternative pipeline route (s) were identified. After conducting a detailed desktop study of the alternative routes on the topographic sheet the feasible routes were identified. This was subsequently supplemented with route reconnaissance data collection along the feasible routes for arriving at the optimum route.

The route is finalized. The route along Asphalted Road in Kanadi village Surrounding Area along with the villages en-route.

The pipeline will be laid at minimum 1.2 m below ground level and as per the requirement of authority.

The pipeline will be laid through protected forest land for about **418 Sq.m** i.e. **0.0418 Hectares** of land.

**Factors considered**

While identifying the various alternatives for selection of the optimum route following factors were considered

- **Pipeline route has been finalized in such a way that minimum forest land will be utilized as well as tree cutting will be avoided.**
- Demand and supply center
- Compliance with environmental regulations
- Safety of people and property
- Shortest possible pipeline length
- Minimum number of bends
- Favorable ground profile for pipeline hydraulics
- Accessibility to pipeline route during construction, maintenance and operation
- Location of pipeline facilities and access there to
- Avoidance of mining protected and reserved forest archaeological and other sensitive areas.
- Avoidance of unstable ground features
- Minimizing road, rail, rivers, and flood prone areas
- Avoidance of rocky stretches
- Avoidance of areas reserved for planned future development
- Flexibility for future expansion

Based on the above detailed route surveys have been carried out to finalize the exact development corridor for laying the pipeline.

For, Gujarat Gas Limited.

  
**Vipul Patel**  
**Dy. Manager (ROU)**

