

No. G45N15
 Scale 1:50,000

G45N10 (720/10)	G45N14 (720/14)	G45O2 (720/2)
G45N11 (720/11)	G45N15 (720/15)	G45O3 (720/3)
G45N12 (720/12)	G45N16 (720/16)	G45O4 (720/4)

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

18 Edition 2003
 Price (Rs.) 100/-
 Revised Price
Rs. 110/-

CONVENTIONAL SYMBOLS

Boundary lines with and without bridges with chainage details	...
Roads, whether surfaced or not	...
Railway lines, whether electrified or not	...
Canals, whether lined or not	...
...	...

REFERENCES

1957 Indian Highway No. 37
 1967 Public Works Department

NOTES

1. All heights are in metres above Mean Sea Level (MSL).
 2. Contour interval is 10 metres.
 3. The contour interval is 5 metres in the hilly and mountainous regions.
 4. The contour interval is 2 metres in the low lying and marshy areas.
 5. The contour interval is 1 metre in the very low lying and marshy areas.
 6. The contour interval is 0.5 metres in the very low lying and marshy areas.
 7. The contour interval is 0.2 metres in the very low lying and marshy areas.

COMPILED BY: A. S. ...

Projection - UTM Datum - 1958 44
 Magnetic Variation from True North about 1° West in 2005
 (Estimated for 2015)

Scale 1:50,000

Director
 Survey of India, 144, Chandernagore Road, Calcutta
 Phone - 990014
 Fax - 99112



