## कार्यालय प्रभागीय वनाधिकारी, हापुड़ वन प्रभाग, हापुड़।

Phone-0122-2300150 Fax-0122-2300150 E-mail-dfohapur@gmail.com पत्रांक 3837 ∕ 14−1, दिनांक, हापुड़, 18 मई, 2024

सेवा में.

मै0 हिन्दुस्तान पेट्रोलियम कार्पोरेशन लि0, मेरठ रिटेल क्षेत्रीय कार्यालय, मेरठ।

विषयः

जनपद हापुड के अन्तर्गत ग्राम बागडपुर तहसील गढमुक्तेश्वर के खसरा संख्या— 1643 राष्ट्रीय राजमार्ग 24 के कि0मी0 92.03 से कि0मी0 92.068 तक हिन्दुस्तान पेट्रोलियम कार्पो0 लि0 द्वारा प्रस्तावित नवीन रिटेल आउटलेट के सम्पर्क मार्ग के निर्माण हेतु 0.2544 है0 (Entry Area = 0.0575 ha. + Exit Area = 0.0669 ha. + Separator island = 0.1300 ha, Total area is 0.2544 ha.) संरक्षित वन भूमि एवं विभिन्न प्रजातियों के 29 वृक्षों के पातन की अनुमति के सम्बन्ध में।

प्रस्ताव संख्या– FP/UP/Approach/139274/2021

सन्दर्भ

उप वन महानिरीक्षक (केन्द्रीय), पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय (मध्य), भारत सरकार, लखनऊ का पत्रांक— 8बी/यू०पी०/06/179/2023/एफ०सी०/40, दिनांक 15.05.2024

उपरोक्त संदर्भित पत्र के क्रम में जनपद हापुड़ के अन्तर्गत ग्राम बागडपुर तहसील गढमुक्तेश्वर के खसरा संख्या— 1643 राष्ट्रीय राजमार्ग 24 के कि0मी0 92.03 से कि0मी0 92.068 तक हिन्दुस्तान पेट्रोलियम कार्पो0 लि0 द्वारा प्रस्तावित नवीन रिटेल आउटलेट के सम्पर्क मार्ग के निर्माण हेतु 0.2544 हे0 (Entry Area = 0.0575 ha. + Exit Area = 0.0669 ha. + Separator island = 0.1300 ha, Total area is 0.2544 ha.) संरक्षित वन भूमि एवं विभिन्न प्रजातियों के 29 वृक्षों के पातन की सैद्धांतिक स्वीकृति भारत सरकार के उपरोक्त संदर्भित पत्र से प्राप्त हुयी है। उक्त सैद्धान्तिक स्वीकृति की अनुपालन आख्या बिन्दुवार निम्नानुसार इस कार्यालय को प्रेषित करने का कष्ट करें :-

क्र0	शर्ते	अनुपालन आख्या
सं0	•	3
1.	Legal Status of the forest land shall remain unchanged.	अनुपालन आख्या संलग्न करें।
2.	Compensatory afforestation shall be taken up by the Forest Department in an area of 0.5088 ha. Degraded forest land in Compartment No. 01. Village Alamgirpur Forest Block, Range Garhmukteshwar, District -Hapur at the cost of the user agency. As far as practicable a mixture of local indigenous species will be planted and monoculture of a species has to be avoided.	अनुपालन आख्या संलग्न करें।
3.	The cost of compensatory afforestation at the prevailing wages rates as per compensatory afforestation scheme and the cost of survey, demarcation and erection of permanent pillars if required on the CA land shall be deposited in advance with the Forest Department by the project authority. The CA will be maintained for 10 years. The scheme may include appropriate provision for anticipated cost increase for works scheduled for subsequent years.	(कैम्पा फण्ड में रू० 522600.00 की धनराशि जमा कर चालान व पुष्टि संलग्न करें।)
4.	The State Government shall charge the Net Present Value (NPV) for the 0.2544ha forest area to be diverted under this proposal from the User Agency as per the order of the Hon'ble Supreme Court of India dated 30.10.2002, 01.08.2003, 28.03.2008, 24.04.2008 and 09.05.2008 in IA No.566 in WP (C) No. 202/1995 and as per the guidelines issued by the Ministry vide letter No. 5-1/1998-FC (Pt. II) dated 18.09.2003 as well as letter No. 5-2/2006-FC dated 03.10.2006, 5-3/2007-FC dated 05.02.2009. and 5-3/2001-FC (Vol-I) dated 06.01.2022 in this regards.	एन0पी0वी0 की धनराशि रू0 312554/- धनराशि जमा कर चालान व पुष्टि इस कार्यालय को प्रेषित करने का कष्ट करें!

5. Additional amount of the NPV of the diverted forest land, if any, becoming due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall be charged by the State Government from the User Agency The User Agency shall furnish an undertaking to this effect.  6. User agency shall restrict the felling of trees to 29 trees/minimum number in the diverted forest land and the trees shall be felled under the strict supervision of the State Forest Department and the cost of felling of trees shall be deposited by the User Agency with the State Forest Department.  7. Separator island has to be maintained as Green Belt, in consultation with DPO. Green belt plan on separator island shall be approved by DFO, ensuring appropriate site specific species. Green belt plan shall also include species to be planted on the periphery of retail outlets and service road. If applicable. Green plan in respect of Separator island/entry & exit/service road as applicable and duly approved by DFO be submitted along with compliance report.  8. Entire periphery of the establishment should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an offset of 1.5 meter from the boundary, with light crown trees which will maintain greenery without compromising with the land requirement of the establishment.  9. User Agency and authorized signatory oil company issuing sanction letter shall be liable for land use including tree plantation for entry'exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per V an (Sanrakshan Evam Sanwardhan) Adhiniyam, (1980), Rules and guidelines.  10. Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly.  11. The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned			
number in the diverted forest land and the trees shall be felled under the strict supervision of the State Forest Department and the cost of felling of trees shall be deposited by the User Agency with the State Forest Department.  7 Separator island has to be maintained as Green Belt, in consultation with DFO. Green belt plan on separator island shall be approved by DFO, ensuring appropriate site specific species. Green belt plan shall also include species to be planted on the periphery of retail outlets and service road, if applicable. Green plan in respect of Separator island/entry & exit/service road as applicable and duly approved by DFO be submitted along with compliance report.  8 Entire periphery of the establishment should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an offset of 1.5 meter from the boundary, with light crown trees which will maintain greenery without compromising with the land requirement of the establishment.  9 User Agency and authorized signatory oil company issuing sanction letter shall be liable for land use including tree plantation for entry/exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per Van (Sanrakshan Evam Samvardhan) Adhiniyam, (1980), Rules and guidelines.  10 Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly reports be maintained at retail outlet and be submitted six monthly.  11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation sh	5.	due after finalization of the same by the Hon'ble Supreme Court of India on receipt of the report from the Expert Committee, shall be charged by the State Government from the User Agency. The User Agency shall furnish an	अनुपालन आख्या संलग्न करें।
with DFO. Green belt plan on separator island shall be approved by DFO. ensuring appropriate site specific species. Green belt plan shall also include species to be planted on the periphery of retail outlets and service road, if applicable. Green plan in respect of Separator island/entry & exit/service road as applicable and duly approved by DFO be submitted along with compliance report.  8 Entire periphery of the establishment should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an offset of 1.5 meter from the boundary, with light crown trees which will maintain greenery without compromising with the land requirement of the establishment.  9 User Agency and authorized signatory oil company issuing sanction letter shall be liable for land use including tree plantation for entry/exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per Van (Sanrakshan Evam Samvardhan) Adhiniyam, (1980), Rules and guidelines.  10 Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly.  11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the con	6	number in the diverted forest land and the trees shall be felled under the strict supervision of the State Forest Department and the cost of felling of trees shall be deposited by the User Agency with the State	अनुपालन आख्या संलग्न करें।
8 Entire periphery of the establishment should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an offset of 1.5 meter from the boundary, with light crown trees which will maintain greenery without compromising with the land requirement of the establishment.  9 User Agency and authorized signatory oil company issuing sanction letter shall be liable for land use including tree plantation for entry/exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per Van (Sanrakshan Evam Samvardhan) Adhiniyam, (1980), Rules and guidelines.  10 Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly reports be maintained at retail outlet and be submitted six monthly.  11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned of	7	with DFO. Green belt plan on separator island shall be approved by DFO, ensuring appropriate site specific species. Green belt plan shall also include species to be planted on the periphery of retail outlets and service road, if applicable. Green plan in respect of Separator island/entry & exit/service road as applicable and duly approved by	
letter shall be liable for land use including tree plantation for entry/exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per Van (Sanrakshan Evam Samvardhan) Adhiniyam, (1980), Rules and guidelines.  10 Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly reports be maintained at retail outlet and be submitted six monthly.  11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	8	Entire periphery of the establishment should be lined up with tree plantation at a close spacing of 1.0 to 1.5 meter keeping an offset of 1.5 meter from the boundary, with light crown trees which will maintain greenery without compromising with the land requirement of the establishment.	
10 Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly reports be maintained at retail outlet and be submitted six monthly.  11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	9	letter shall be liable for land use including tree plantation for entry/exit and Separator island strictly as per the approved layout plan and any violation/ non adherence shall attract penal action/prosecution in competent court of jurisdiction as per Van (Sanrakshan Evam Samvardhan) Adhiniyam, (1980), Rules and guidelines.	अनुपालन आख्या सलग्न कर।
11 The complete compliance of the FRA, 2006 shall be ensured by way of prescribed certificate from the concerned District Collector.  12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	10	Green Plan duly approved by DFO in respect of Separator island/entry/exit/service road as applicable be submitted and Geo tagged six monthly reports be maintained at retail outlet and be	अनुपालन आख्या संलग्न करें।
12 No violation of FCA certificate from concerned DFO shall be provided.  13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	11	The complete compliance of the FRA, 2006 shall be ensured by way	अनुपालन आख्या संलग्न करें।
13 Greenery will be maintained by user agency around Periphery of Fuel Station.  14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	12	No violation of FCA certificate from concerned DFO shall be	अनुपालन आख्या संलग्न करें।
14 User agency shall use the land between entry and exit for plantation and conservation of trees, the same shall be demarcated by 2 feet wall.  15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	13	Greenery will be maintained by user agency around Periphery of Fuel	
15 Plantation shall also be done along the inside boundary of Fuel Station.  16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	14	User agency shall use the land between entry and exit for plantation	अनुपालन आख्या संलग्न करें।
16 Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.  17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	15	Plantation shall also be done along the inside boundary of Fuel Station.	अनुपालन आख्या संलग्न करें।
17 The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned	16	Certificate of DFO certifying that the proposed RO is not in close proximity of any existing RO in accordance with MORTH guidelines dated 24-07-2013 has to be provided.	
211.DIC	17	The boundary of the diverted forest land shall be suitably demarcated on ground at the project cost, as per the directions of the concerned Divisional Forest Officer.	
18 The period of diversion under this approval shall be co-terminus with the period of lease to be granted in favour of the user agency or the project life, whichever is less.	18	The period of diversion under this approval shall be co-terminus with the period of lease to be granted in favour of the user agency or the	अनुपालन आख्या संलग्न करें।

19	The KML file of area proposed for diversion and area proposed for plantation shall be uploaded on the E- Green watch portal with all requisite details before commencement of works.	
20	The violation of any of the conditions stipulated under this approval will be liable to the cognizance and appropriate action under MoEFCC rules and Guidelines as applicable, specifically MoEFCC Guidelines dated 15/05/2023, authorizing officers of the rank of Divisional Forest Officer (DFO)/Deputy Conservator of Forests (DCF) and above of the State Government or Union territory Administration concerned, having jurisdiction over the forest land in respect of which any offence under the Van (Sanrakshan Evam Samvardhan) Adhiniyam, 1980 is committed or violation of the provisions of the said Act has been made, to file complaints against such person/authority/organization, prima-facie found guilty of offence under the Act or the violation of the rules made thereunder, in the	अनुपालन आख्या संलग्न करें।
21	Climate Change may stipulate from time to time in the interest of	अनुपालन आख्या संलग्न करें।
22	conservation, protection and development of forests & whithe.	अनुपालन आख्या संलग्न करें।
22	and guidelines in force shall be followed.	
23	All the funds received from the user agency under the project shall be transferred/ deposited to CAMPA fund only through e-portal (https://pariyesh.nic.in/).	अनुपालन आख्या संलग्न करें।
24	The compliance report shall be uploaded on e-portal	अनुपालन आख्या संलग्न करें।
	(https://parivesh.nic.in/).	( <u> </u>

उपरोक्त बिन्दु संख्या— 1 से 24 तक की अनुपालन आख्या शीघ्र इस कार्यालय को प्रेषित करने का कष्ट करे ताकि प्रकरण में अग्रिम कार्यवाही की जा सकें।

> प्रभागीय वनाधिकारी हापुड़ वन प्रभाग, हापुड़।

पत्रांक : 3837 / 14-1, दिनांकित

प्रतिलिपिः मुख्य वन संरक्षक / नोडल अधिकारी, उ०प्र० लखनऊ को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित। प्रतिलिपिः वन संरक्षक / क्षेत्रीय निदेशक, सामाजिक वानिकी, मेरठ वृत्त, मेरठ की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

प्रभागीय वनाधिकारी सूपुड़ वन प्रभाग, हापुड़।