## **OPTION ANALYSIS:**

S. No	Parameter	Option 1	Option 2	Option 3
1	Total Length (Km)	50.700	53.100	61.700
2	Length of Greenfield Alignment (Km)	50.700	53.10	61.70
3	Length of Brownfield Alignment (Km)	0.000	0.000	0.000
4	Start	At Ch. 108+450 of Delhi-Saharanpur Greenfield alignment near Halgoya Village	At Ch. 107+650 of Delhi-Saharanpur Greenfield alignment near Halgoya Village	At Ch. 94+600 of Delhi-Saharanpur Green field alignment near Mora Village
5	End	At Existing Ch. 182+000 of NH-334 (Old NH No. 58) near Badheri Rajputan Village	At Existing Ch. 1+100 of Roorkee bypass section of NH-344 (Old NH No. 73)	At Ch. 2+400 of Proposed Haridwar Ring Road/ Eastern end of Bahadarabad Bypass on NH-334 (Old NH No. 58)
6	Total Distance from EPE Delhi to Haridwar	162.15	163.80	156.30
7	Lane Configuration	6-lane Access Controlled	6-lane Access Controlled	6-lane Access Controlled
8	Districts	Saharanpur in Uttar Pradesh and Haridwar in Uttarakhand	Saharanpur in Uttar Pradesh and Haridwar in Uttarakhand	Saharanpur in Uttar Pradesh and Haridwar in Uttarakhand
9	Connecting Highways	Delhi-Dehradun Economic Corridor, SH-59, NH-344/73, NH-334/58	Delhi-Dehradun Economic Corridor, SH-59, NH-344/73, NH-334/58	Delhi-Dehradun Economic Corridor, SH-59, NH-344/73, NH-334/58
10	No. of NH Crossings	3	3	3
11	No. oh SH Crossings	1	1	1
12	Major Built-up areas Connected	Roorkee and Haridwar	Roorkee and Haridwar	Roorkee and Haridwar
13	No. of settlements along prop. alignment	48	60	59

Pradeep Singh Gusain GM (T) cum Project Director NHAI, PIU- Roorkee

S. No	Parameter	Option 1	Option 2	Option 3
14	Existing land use	Agricultural	Agricultural	Agricultural
15	Affected Forest Area	1.6518	3.42	5.56
16	Eco-sensitive/ Protected Area	Nil	Nil	Rajajii National Park within 10 Km Radius
17	Forest Clearance	Yes	Yes	Yes
18	Environmental Clearance	Yes	Yes	Yes
19	Description of Alignment	<ul> <li>a) Greenfield alignment in a length 43.90 km and then follows existing road (NH- 334) in a length of 9.80 Km up to Haridwar;</li> <li>b) This alignment runs on northern side of Roorkee;</li> <li>a. Existing 4-lane highway beyond greenfield alignment in a length of 9.80 Km passes through built-up areas with no access control</li> </ul>	<ul> <li>a) Greenfield alignment for 30.50 km and then follows the existing Roorkee Bypass road for a length of 16.90 km and further follows the existing road (NH-334) up to Haridwar;</li> <li>b) Existing 4-lane Highway in a length of 9.800 km passes through built-up areas with no access control;</li> <li>c) At the junction with Roorkee Bypass Road, Ch 30.60, 2as are. 1km length of bypass road needs to reconstructed to match with the FRL of proposed trumpet interchange;</li> <li>d) After crossing the canal at 30.60 joins with NH-334 (Old NH No. 58) at grade, needs to use slip road to access the eastern part of Roorkee Bypass</li> </ul>	<ul> <li>a) Green field alignment with full access control up to Haridwar; Joins with proposed Haridwar Bypass Road;</li> <li>a. This alignment runs on southern side of Roorkee parallel existing bypass on NH-334 (Old NH No. 58)</li> </ul>
20	Merits	a) Part of this alignment runs on northern side of Roorkee connecting	Length of new construction is less compared to other options	<ul> <li>a) Shortest Route from Delhi to Haridwar;</li> <li>b) Access Control in entire length</li> <li>Pradeep Singh Gus</li> </ul>

परियोजना निर्देशक / Project Director मारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India पीठआईवयूव रूड़मी / PIU, Roorkee.

NHAI, PIU- Roorkee


S. No	Parameter	Option 1	Option 2	Option 3
		existing western and eastern bypasses, thus completes the total ring around Roorkee; b) Beneficial for both Delhi and Saharanpur bound traffic; c) Provide better connectivity to Roorkee and Haridwar		
21	Demerits	<ul> <li>a) Length of new construction is more compared to Option 2;</li> <li>b) Existing 4-lane highway in a length of 9.80 km passes through built-up areas with no access control;</li> </ul>	<ul> <li>a) As this option connects to southern side of Roorkee Bypass, not beneficial to Saharanpur bound traffic;</li> <li>b) Traffic bound to Haridwar will have to follow existing highway in a length of 15.8 km with partially access control and 9.80 km with no access control, which is more than the other options</li> </ul>	<ul> <li>a) Length of New construction is more than the other options construction cost is more than other options;</li> <li>b) Runs parallel to Roorkee Bypass on NH-334/58; As this runs on southern side of Roorkee, not beneficial to Saharanpur bound traffic</li> </ul>
22	Number of Structures	Flyover/Interchanges- 4; VUP-9; LVUP-11; SVUP-29; MJB-5; MNB-10; ROB-2	Flyover/Interchanges- 3; VUP-3; LVUP-8; SVUP-20; MJB-2; MNB-10; ROB-2	Flyover/Interchanges- 4; VUP-8; LVUP-15; SVUP-41; MJB-3; MNB-23; ROB-3
23	Proposed ROW (m)	60.00	60.00	60.00
24	Total Additional land required (Ha.)	286.99	264.993	444.190
25	of Civil Works (in Cr.)	1088.80	614.50	1437.18
26	Centages (in Cr.)	207.05	116.87	273.33
27	Cost Non-Civil Works (in Cr.)	836.71	606.35	1070.36

Pradeep Singh Gusain GM (T) cum Project Director NHAI, PIU- Roorkee

S. No	Parameter	Option 1	Option 2	Option 3
28	Total Project Cost (in Cr.)	2132.56	1337.73	2780.87



परियोजना निदेशक / Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India भीव्याइंवयूव राइकी / PIU, Roorkea.



Е	ALONG	DIFFERENT	ALIGNMENT	OPTIONS
	ALONO			

	<b>Option-1</b>	Option-2	Option-3
om EPE	161.200	164.050	156.300
	Km	Km	Km
ed	50.700	53.100	61.700
	Km	Km	Km
eld	43.900	30.500	61.700
	Km	Km	Km
ield	6.800	22.600	0.000
	Km	Km	Km