



Scale 1:50,000

* Ganga, UTTAR PRADESH-1. 3 Unnao, JTTAR PRADESH.

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price : Rs. 700

CONVENTIONAL SYMBOLS

[illegible]

Legend

Proposed OFC

REFERENCE

01/95 National Highway No. 29

NOTES :-

[illegible]

COMPIATION INDEX

A. Composite Form #25 000 survey 10/2/73. Updated for major data & (B) to 2005-00 was taken into account for updates during 2005-00.

Projection UTM Datum - WGS 84

Magnetic Variation from True North about $\frac{1}{4}^{\circ}$ East in 2005.
(Increasing by about 1" annually.)

1:50,000

	6	1	2
1	0.00	0.00	0.00
2	0.00	0.00	0.00
3	0.00	0.00	0.00
4	0.00	0.00	0.00
5	0.00	0.00	0.00
6	0.00	0.00	0.00
7	0.00	0.00	0.00
8	0.00	0.00	0.00
9	0.00	0.00	0.00
10	0.00	0.00	0.00
11	0.00	0.00	0.00
12	0.00	0.00	0.00
13	0.00	0.00	0.00
14	0.00	0.00	0.00
15	0.00	0.00	0.00
16	0.00	0.00	0.00
17	0.00	0.00	0.00
18	0.00	0.00	0.00
19	0.00	0.00	0.00
20	0.00	0.00	0.00
21	0.00	0.00	0.00
22	0.00	0.00	0.00
23	0.00	0.00	0.00
24	0.00	0.00	0.00
25	0.00	0.00	0.00
26	0.00	0.00	0.00
27	0.00	0.00	0.00
28	0.00	0.00	0.00
29	0.00	0.00	0.00
30	0.00	0.00	0.00
31	0.00	0.00	0.00
32	0.00	0.00	0.00
33	0.00	0.00	0.00
34	0.00	0.00	0.00
35	0.00	0.00	0.00
36	0.00	0.00	0.00
37	0.00	0.00	0.00
38	0.00	0.00	0.00
39	0.00	0.00	0.00
40	0.00	0.00	0.00
41	0.00	0.00	0.00
42	0.00	0.00	0.00
43	0.00	0.00	0.00
44	0.00	0.00	0.00
45	0.00	0.00	0.00
46	0.00	0.00	0.00
47	0.00	0.00	0.00
48	0.00	0.00	0.00
49	0.00	0.00	0.00
50	0.00	0.00	0.00
51	0.00	0.00	0.00
52	0.00	0.00	0.00
53	0.00	0.00	0.00
54	0.00	0.00	0.00
55	0.00	0.00	0.00
56	0.00	0.00	0.00
57	0.00	0.00	0.00
58	0.00	0.00	0.00
59	0.00	0.00	0.00
60	0.00	0.00	0.00
61	0.00	0.00	0.00
62	0.00	0.00	0.00
63	0.00	0.00	0.00
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
9			

CON CON INTERVAL 20 METRES

* for further details see if this org. please contact
 13. continue

East Uttar Pradesh Geo-Spatial Data Centre

Survey of India
k. 2nd Floor, PICUP Bhawan, Gant Nagar.

Figure 1. The effect of the number of trials on the mean accuracy of the responses. The error bars represent the standard error of the mean.

WEBSITE - www.conveyjournal.org.in



पंकज खरे (प्रबन्धक)
रिलायन्स जियो इन्फोकॉम लिमिटेड
लखनऊ



भारतीय सर्वेक्षण विभाग	SURVEY OF INDIA
1st Edition 2011.	Price : Rs. 70/-

पंकज खेर (प्रबन्धक)
रिलायन्स जियो इन्फोकॉम लिमिटेड
लखनऊ



Scale 1:50,000

भारतीय सर्वेक्षण विभाग SURVEY OF INDIA

1st Edition 2011. Price : Rs. 70/-

CONVENTIONAL SYMBOLS

Legend

Proposed OFC

REFERENCES

NH	National Highway No.	P	Pure, Pura or Purwa.
NR	Northern Railway	FD	Distributary

NOTES :-

[illegible]

SOLIDIFICATION INDEX

A Modern survey 1988/89, updated for crop details during 2004

ACKNOWLEDGMENTS

Projection - UTM Datum - WGS 84

Magnetic Variation from True North about 0° in 2005.
 (Magnetic Inclination 1° East approx.)

1:50.000

500 m to 1 cm 1:50,000 2 cm to 1 km

CONTOUR INTERVAL 10 METRES

For further details about the map, please contact
Director

East Uttar Pradesh Geo-Spatial Data Centre

B-2 Block, 2nd Floor, PTCUP Bhawan, Gomti Nagar, Lucknow.

WEBSITE www.surveyofindia.gov.in





निर्गत के लिए नहीं NOT FOR EXPORT
OPEN SERIES
MAP

No. G44K4
Scale 1:50,000

G44J15 (63F/15)	G44K3 (63J/3)	G44K7 (63J/7)
G44J16 (63F/16)	G44K4 (63J/4)	G44K8 (63J/8)
G44P13 (63G/13)	G44Q1 (63K/1)	G44Q5 (63K/5)

1 Faizabad, UTTAR PRADESH.
2 Jaunpur, UTTAR PRADESH.
3 Allahabad, UTTAR PRADESH.

भारतीय सर्वेक्षण विभाग
1st Edition 2010
Price : Rs. 70/-
SURVEY OF INDIA

CONVENTIONAL SYMBOLS

Express highway, with toll, with bridge, with distance stone		20
Roads, metalled, according to importance		10
Roads, shingle, cart-paved, according to importance		5
Unmetalled road, dark-brown, track-bed with pebbles, foot-path		2
Streams, with brick in bed, underfed, canal		1
Dams, masonry or rock-fall, earth-work, weir		0.5
River dry with water channel, with lowest 1000 ft. track, river		0.2
Submerged rocks, shoal, swamp, forest		0.1
Wells, lined, unlined, tubewell, spring, tanks, perennial, dry		0.05
Embankment road or rail, rock, broken ground		0.02
Railways, broad gauge, double single with station, under constn.		0.01
Railways, other gauge, double, single with distance stone, do.		0.005
Mineral line or tramway, kin. cutting with tunnel		0.002
Contours with sub-features, rocky slopes, cliffs		0.001
Sand features (1/2 ft. 0 ft. 1 ft. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. 9 ft. 10 ft. 11 ft. 12 ft. 13 ft. 14 ft. 15 ft. 16 ft. 17 ft. 18 ft. 19 ft. 20 ft. 21 ft. 22 ft. 23 ft. 24 ft. 25 ft. 26 ft. 27 ft. 28 ft. 29 ft. 30 ft. 31 ft. 32 ft. 33 ft. 34 ft. 35 ft. 36 ft. 37 ft. 38 ft. 39 ft. 40 ft. 41 ft. 42 ft. 43 ft. 44 ft. 45 ft. 46 ft. 47 ft. 48 ft. 49 ft. 50 ft. 51 ft. 52 ft. 53 ft. 54 ft. 55 ft. 56 ft. 57 ft. 58 ft. 59 ft. 60 ft. 61 ft. 62 ft. 63 ft. 64 ft. 65 ft. 66 ft. 67 ft. 68 ft. 69 ft. 70 ft. 71 ft. 72 ft. 73 ft. 74 ft. 75 ft. 76 ft. 77 ft. 78 ft. 79 ft. 80 ft. 81 ft. 82 ft. 83 ft. 84 ft. 85 ft. 86 ft. 87 ft. 88 ft. 89 ft. 90 ft. 91 ft. 92 ft. 93 ft. 94 ft. 95 ft. 96 ft. 97 ft. 98 ft. 99 ft. 100 ft. 101 ft. 102 ft. 103 ft. 104 ft. 105 ft. 106 ft. 107 ft. 108 ft. 109 ft. 110 ft. 111 ft. 112 ft. 113 ft. 114 ft. 115 ft. 116 ft. 117 ft. 118 ft. 119 ft. 120 ft. 121 ft. 122 ft. 123 ft. 124 ft. 125 ft. 126 ft. 127 ft. 128 ft. 129 ft. 130 ft. 131 ft. 132 ft. 133 ft. 134 ft. 135 ft. 136 ft. 137 ft. 138 ft. 139 ft. 140 ft. 141 ft. 142 ft. 143 ft. 144 ft. 145 ft. 146 ft. 147 ft. 148 ft. 149 ft. 150 ft. 151 ft. 152 ft. 153 ft. 154 ft. 155 ft. 156 ft. 157 ft. 158 ft. 159 ft. 160 ft. 161 ft. 162 ft. 163 ft. 164 ft. 165 ft. 166 ft. 167 ft. 168 ft. 169 ft. 170 ft. 171 ft. 172 ft. 173 ft. 174 ft. 175 ft. 176 ft. 177 ft. 178 ft. 179 ft. 180 ft. 181 ft. 182 ft. 183 ft. 184 ft. 185 ft. 186 ft. 187 ft. 188 ft. 189 ft. 190 ft. 191 ft. 192 ft. 193 ft. 194 ft. 195 ft. 196 ft. 197 ft. 198 ft. 199 ft. 200 ft. 201 ft. 202 ft. 203 ft. 204 ft. 205 ft. 206 ft. 207 ft. 208 ft. 209 ft. 210 ft. 211 ft. 212 ft. 213 ft. 214 ft. 215 ft. 216 ft. 217 ft. 218 ft. 219 ft. 220 ft. 221 ft. 222 ft. 223 ft. 224 ft. 225 ft. 226 ft. 227 ft. 228 ft. 229 ft. 230 ft. 231 ft. 232 ft. 233 ft. 234 ft. 235 ft. 236 ft. 237 ft. 238 ft. 239 ft. 240 ft. 241 ft. 242 ft. 243 ft. 244 ft. 245 ft. 246 ft. 247 ft. 248 ft. 249 ft. 250 ft. 251 ft. 252 ft. 253 ft. 254 ft. 255 ft. 256 ft. 257 ft. 258 ft. 259 ft. 260 ft. 261 ft. 262 ft. 263 ft. 264 ft. 265 ft. 266 ft. 267 ft. 268 ft. 269 ft. 270 ft. 271 ft. 272 ft. 273 ft. 274 ft. 275 ft. 276 ft. 277 ft. 278 ft. 279 ft. 280 ft. 281 ft. 282 ft. 283 ft. 284 ft. 285 ft. 286 ft. 287 ft. 288 ft. 289 ft. 290 ft. 291 ft. 292 ft. 293 ft. 294 ft. 295 ft. 296 ft. 297 ft. 298 ft. 299 ft. 300 ft. 301 ft. 302 ft. 303 ft. 304 ft. 305 ft. 306 ft. 307 ft. 308 ft. 309 ft. 310 ft. 311 ft. 312 ft. 313 ft. 314 ft. 315 ft. 316 ft. 317 ft. 318 ft. 319 ft. 320 ft. 321 ft. 322 ft. 323 ft. 324 ft. 325 ft. 326 ft. 327 ft. 328 ft. 329 ft. 330 ft. 331 ft. 332 ft. 333 ft. 334 ft. 335 ft. 336 ft. 337 ft. 338 ft. 339 ft. 340 ft. 341 ft. 342 ft. 343 ft. 344 ft. 345 ft. 346 ft. 347 ft. 348 ft. 349 ft. 350 ft. 351 ft. 352 ft. 353 ft. 354 ft. 355 ft. 356 ft. 357 ft. 358 ft. 359 ft. 360 ft. 361 ft. 362 ft. 363 ft. 364 ft. 365 ft. 366 ft. 367 ft. 368 ft. 369 ft. 370 ft. 371 ft. 372 ft. 373 ft. 374 ft. 375 ft. 376 ft. 377 ft. 378 ft. 379 ft. 380 ft. 381 ft. 382 ft. 383 ft. 384 ft. 385 ft. 386 ft. 387 ft. 388 ft. 389 ft. 390 ft. 391 ft. 392 ft. 393 ft. 394 ft. 395 ft. 396 ft. 397 ft. 398 ft. 399 ft. 400 ft. 401 ft. 402 ft. 403 ft. 404 ft. 405 ft. 406 ft. 407 ft. 408 ft. 409 ft. 410 ft. 411 ft. 412 ft. 413 ft. 414 ft. 415 ft. 416 ft. 417 ft. 418 ft. 419 ft. 420 ft. 421 ft. 422 ft. 423 ft. 424 ft. 425 ft. 426 ft. 427 ft. 428 ft. 429 ft. 430 ft. 431 ft. 432 ft. 433 ft. 434 ft. 435 ft. 436 ft. 437 ft. 438 ft. 439 ft. 440 ft. 441 ft. 442 ft. 443 ft. 444 ft. 445 ft. 446 ft. 447 ft. 448 ft. 449 ft. 450 ft. 451 ft. 452 ft. 453 ft. 454 ft. 455 ft. 456 ft. 457 ft. 458 ft. 459 ft. 460 ft. 461 ft. 462 ft. 463 ft. 464 ft. 465 ft. 466 ft. 467 ft. 468 ft. 469 ft. 470 ft. 471 ft. 472 ft. 473 ft. 474 ft. 475 ft. 476 ft. 477 ft. 478 ft. 479 ft. 480 ft. 481 ft. 482 ft. 483 ft. 484 ft. 485 ft. 486 ft. 487 ft. 488 ft. 489 ft. 490 ft. 491 ft. 492 ft. 493 ft. 494 ft. 495 ft. 496 ft. 497 ft. 498 ft. 499 ft. 500 ft. 501 ft. 502 ft. 503 ft. 504 ft. 505 ft. 506 ft. 507 ft. 508 ft. 509 ft. 510 ft. 511 ft. 512 ft. 513 ft. 514 ft. 515 ft. 516 ft. 517 ft. 518 ft. 519 ft. 520 ft. 521 ft. 522 ft. 523 ft. 524 ft. 525 ft. 526 ft. 527 ft. 528 ft. 529 ft. 530 ft. 531 ft. 532 ft. 533 ft. 534 ft. 535 ft. 536 ft. 537 ft. 538 ft. 539 ft. 540 ft. 541 ft. 542 ft. 543 ft. 544 ft. 545 ft. 546 ft. 547 ft. 548 ft. 549 ft. 550 ft. 551 ft. 552 ft. 553 ft. 554 ft. 555 ft. 556 ft. 557 ft. 558 ft. 559 ft. 560 ft. 561 ft. 562 ft. 563 ft. 564 ft. 565 ft. 566 ft. 567 ft. 568 ft. 569 ft. 570 ft. 571 ft. 572 ft. 573 ft. 574 ft. 575 ft. 576 ft. 577 ft. 578 ft. 579 ft. 580 ft. 581 ft. 582 ft. 583 ft. 584 ft. 585 ft. 586 ft. 587 ft. 588 ft. 589 ft. 590 ft. 591 ft. 592 ft. 593 ft. 594 ft. 595 ft. 596 ft. 597 ft. 598 ft. 599 ft. 600 ft. 601 ft. 602 ft. 603 ft. 604 ft. 605 ft. 606 ft. 607 ft. 608 ft. 609 ft. 610 ft. 611 ft. 612 ft. 613 ft. 614 ft. 615 ft. 616 ft. 617 ft. 618 ft. 619 ft. 620 ft. 621 ft. 622 ft. 623 ft. 624 ft. 625 ft. 626 ft. 627 ft. 628 ft. 629 ft. 630 ft. 631 ft. 632 ft. 633 ft. 634 ft. 635 ft. 636 ft. 637 ft. 638 ft. 639 ft. 640 ft. 641 ft. 642 ft. 643 ft. 644 ft. 645 ft. 646 ft. 647 ft. 648 ft. 649 ft. 650 ft. 651 ft. 652 ft. 653 ft. 654 ft. 655 ft. 656 ft. 657 ft. 658 ft. 659 ft. 660 ft. 661 ft. 662 ft. 663 ft. 664 ft. 665 ft. 666 ft. 667 ft. 668 ft. 669 ft. 670 ft. 671 ft. 672 ft. 673 ft. 674 ft. 675 ft. 676 ft. 677 ft. 678 ft. 679 ft. 680 ft. 681 ft. 682 ft. 683 ft. 684 ft. 685 ft. 686 ft. 687 ft. 688 ft. 689 ft. 690 ft. 691 ft. 692 ft. 693 ft. 694 ft. 695 ft. 696 ft. 697 ft. 698 ft. 699 ft. 700 ft. 701 ft. 702 ft. 703 ft. 704 ft. 705 ft. 706 ft. 707 ft. 708 ft. 709 ft. 710 ft. 711 ft. 712 ft. 713 ft. 714 ft. 715 ft. 716 ft. 717 ft. 718 ft. 719 ft. 720 ft. 721 ft. 722 ft. 723 ft. 724 ft. 725 ft. 726 ft. 727 ft. 728 ft. 729 ft. 730 ft. 731 ft. 732 ft. 733 ft. 734 ft. 735 ft. 736 ft. 737 ft. 738 ft. 739 ft. 740 ft. 741 ft. 742 ft. 743 ft. 744 ft. 745 ft. 746 ft. 747 ft. 748 ft. 749 ft. 750 ft. 751 ft. 752 ft. 753 ft. 754 ft. 755 ft. 756 ft. 757 ft. 758 ft. 759 ft. 760 ft. 761 ft. 762 ft. 763 ft. 764 ft. 765 ft. 766 ft. 767 ft. 768 ft. 769 ft. 770 ft. 771 ft. 772 ft. 773 ft. 774 ft. 775 ft. 776 ft. 777 ft. 778 ft. 779 ft. 780 ft. 781 ft. 782 ft. 783 ft. 784 ft. 785 ft. 786 ft. 787 ft. 788 ft. 789 ft. 790 ft. 791 ft. 792 ft. 793 ft. 794 ft. 795 ft. 796 ft. 797 ft. 798 ft. 799 ft. 800 ft. 801 ft. 802 ft. 803 ft. 804 ft. 805 ft. 806 ft. 807 ft. 808 ft. 809 ft. 810 ft. 811 ft. 812 ft. 813 ft. 814 ft. 815 ft. 816 ft. 817 ft. 818 ft. 819 ft. 820 ft. 821 ft. 822 ft. 823 ft. 824 ft. 825 ft. 826 ft. 827 ft. 828 ft. 829 ft. 830 ft. 831 ft. 832 ft. 833 ft. 834 ft. 835 ft. 836 ft. 837 ft. 838 ft. 839 ft. 840 ft. 841 ft. 842 ft. 843 ft. 844 ft. 845 ft. 846 ft. 847 ft. 848 ft. 849 ft. 850 ft. 851 ft. 852 ft. 853 ft. 854 ft. 855 ft. 856 ft. 857 ft. 858 ft. 859 ft. 860 ft. 861 ft. 862 ft. 863 ft. 864 ft. 865 ft. 866 ft. 867 ft. 868 ft. 869 ft. 870 ft. 871 ft. 872 ft. 873 ft. 874 ft. 875 ft. 876 ft. 877 ft. 878 ft. 879 ft. 880 ft. 881 ft. 882 ft. 883 ft. 884 ft. 885 ft. 886 ft. 887 ft. 888 ft. 889 ft. 890 ft. 891 ft. 892 ft. 893 ft. 894 ft. 895 ft. 896 ft. 897 ft. 898 ft. 899 ft. 900 ft. 901 ft. 902 ft. 903 ft. 904 ft. 905 ft. 906 ft. 907 ft. 908 ft. 909 ft. 910 ft. 911 ft. 912 ft. 913 ft. 914 ft. 915 ft. 916 ft. 917 ft. 918 ft. 919 ft. 920 ft. 921 ft. 922 ft. 923 ft. 924 ft. 925 ft. 926 ft. 927 ft. 928 ft. 929 ft. 930 ft. 931 ft. 932 ft. 933 ft. 934 ft. 935 ft. 936 ft. 937 ft. 938 ft. 939 ft. 940 ft. 941 ft. 942 ft. 943 ft. 944 ft. 945 ft. 946 ft. 947 ft. 948 ft. 949 ft. 950 ft. 951 ft. 952 ft. 953 ft. 954 ft. 955 ft. 956 ft. 957 ft. 958 ft. 959 ft. 960 ft. 961 ft. 962 ft. 963 ft. 964 ft. 965 ft. 966 ft. 967 ft. 968 ft. 969 ft. 970 ft. 971 ft. 972 ft. 973 ft. 974 ft. 975 ft. 976 ft. 977 ft. 978 ft. 979 ft. 980 ft. 981 ft. 982 ft. 983 ft. 984 ft. 985 ft. 986 ft. 987 ft. 988 ft. 989 ft. 990 ft. 991 ft. 992 ft. 993 ft. 994 ft. 995 ft. 996 ft. 997 ft. 998 ft. 999 ft. 1000 ft.	0.001	
Towns or villages, inhabited, deserted, Fort.		0.0005
Temples; permanent, temporary, Tower, Antiquary.		0.0002
Temples, Chhatra, Church, Mosque, Juggly, Tomb, Gravit.		0.0001
Uplifted, Chhatra, Burys, lighted, unlighted, Anchorage.		0.00005
Vine, vine on terrils, Grass, Scrub.		0.00002
Palms, palms, orch, Plantain, Caster, Bamboo, Other trees.		0.00001
Grass, cultivated, wooded, Surveyed tree.		0.000005
Boundary, international.		0.000002
State, demarcated, undemarcated.		0.000001
District, subdivision, taluk or taluk, forest.		0.0000005
Boundary points, surveyed, unlocated.		0.0000002
Height, triangulated station, point approximate.		0.0000001
Meromorphic, geological, sanitary, canal.		0.00000005
Non-off. Telegraph office, Overland line.		0.00000002
Sea shore or traction boundary, Circuit house, Police station.		0.00000001
Testing ground, Forest, reserved, protected.		0.000000005
Capital, main administrative, locality or tribal.		0.000000002
Capital, Dispensary, Veterinary, hospital or Dispensary.		0.000000001
Meridians, Helped, Tidal, etc.		0.0000000005
Work, line, with pylons surveyed, with poles unsurveyed.		0.0000000002


Legend
Proposed OFC

REFERENCE
NH 56 National Highway No. 56
NH 96 National Highway No. 96

NOTES:-
Heights are in metres and show location mean sea level
Contours are approximate
A relative height e.g. 100' represents the approximate height, in metres, between the top and bottom of a steep slope
Wells are numerous throughout the sheet, only the important ones have been shown
Tanks shown dry in this area usually contain water from July to March
The kilometre stone numbers along the railway and roads are shown in their true position, e.g. '5' whereas
milestone numbers are shown in upright type, e.g. '5'

COMPILED INDEX
A. Modern Survey 1972-73. Updated for major details during 2000-07.

Projection - UTM Datum - WGS 84
Magnetic Variation from True North about 0° in 2005.
(Increasing by about 1° annually.)
1:50,000
500 m to 1 cm
2 cm to 1 km
CONTOUR INTERVAL 10 METRES
For further details about this map, please contact
Director
East Uttar Pradesh Geo-Spatial Data Centre
Survey of India
B-2 Block, 2nd Floor, PICUP Bhawan, Gomi Nagar, Lucknow.
Fax : 0522-2720634
WEBSITE : www.surveyofindia.gov.in



पंकज खेर (प्रबन्धक)
रिलायन्स जियो इन्फोकॉम लिमिटेड
लखनऊ