

क्षतिपूरक वृक्षारोपण से सम्बन्धित प्रमाण पत्र

प्रमाणित किया जाता है कि उक्त परियोजना जनपद बाराबंकी के हैदरगढ रेंज में लखनऊ-सुल्तानपुर मार्ग एन0एच0-56 (नया एन0 एच0-731) के चैनेज-54.86 से चैनेज-64.00 तक दांयी पटरी पर NATURAL GAS PIPE LINE बिछाये जाने हेतु 0.4562 हे0 संरक्षित वन भूमि प्रभावित होगी तथा हैदरगढ व हरख रेंज के अन्तर्गत हैदरगढ-रामसनेहीघाट मार्ग के चैनेज-0.00 से 11.23 तक बायीं पटरी पर 0.5516 हे0 संरक्षित वन भूमि अर्थात् कुल-1.0078 संरक्षित वन भूमि पर पाईप लाईन बिछाया जाना प्रस्तावित है, जिसमें भारत सरकार पर्यावरण जलवायु एवं परिवर्तन मंत्रालय नई, दिल्ली के पत्र संख्या-FC-11/165/2019-FC Dated 27-07-2020 में पैरा-3 में उल्लिखित है कि Underground OFC,CNG,PNG, Telephone lines, Drinking water supply pipeline, Electricity cables बिछाये जाने हेतु क्षतिपूरक वृक्षारोपण से मुक्त है। (छायाप्रति संलग्न है) उक्त परियोजना में वृक्षों का पातन निहित नहीं है।


क्षेत्रीय वन अधिकारी
हरख


क्षेत्रीय वन अधिकारी
रेंज हैदरगढ




उप प्रभागीय वनाधिकारी
राम सनेहीघाट
उप वन प्रभाग


प्रभागीय निदेशक
सा०बा०वन प्रभाग
बाराबंकी



torrent
GAS

Ref. No. TGPL/GA-10.40/20-21/BAR/FD13

Date: 09.08.2021

To,
The Divisional Forest Officer (DFO)
Barabanki Forest Division
Barabanki (U.P.)

Sub: Undertaking for payment of CA charges against Proposal No.- FP/UP/Pipeline/
123162/2021

Dear Sir,

This is with reference to our online proposal No- FP/UP/Pipeline/123162/2021, for laying of Natural Gas Pipeline permission along the NH-56, Lucknow – Sultanpur Road (From Ch. No- 54.86 to Ch. No-64.00 RHS) and Haidargarh -Ramsanehi ghat (SH-13) road (From Ch. No- 0.00 to Ch. No- 11.23) in barabanki district.

As per the Nodal office letter No- 316/ 11C- Lucknow, dated- 28th July 2021, and Ministry of Environment Forest & Climate Change (Forest conservation Division) Letter No- FC- 11/165/2019-FC, dated- 27.07.2020, has accorded general approval for private/ Government owned entities to lay pipeline for providing CNG/PNG. (GO copy and Nodal office letter attached).

In view of the above, CA charges may not be levied in case of laying of underground OFC, telephone cable, electricity cable, CNG/PNG pipeline.


Hence you are requested to kindly exempted CA charges from our proposal.

In future, if any charges against aforesaid proposal levied, M/s Torrent Gas will pay the same.

Thanking You,

Ltd.

For Torrent Gas Pvt.


Mithilesh Kumar Singh
(Manager)



Encl:

1. Letter of Nodal Office
2. G.O copy.
3. Copy of Undertaking

Undertaking

Dear Sir,

M/s Torrent Gas Private Limited (TGPL) has been awarded Authorization to lay, build and operate a City or Local Gas Distribution Network in Barabanki & Gonda Districts, Uttar Pradesh by Petroleum & Natural Gas Regulatory Board (PNGRB) vide letter No. PNGRB/CGD/ BID/10-2018/GA/10.40 /Schedule-D dated 29th March 2019.



As per the GO No. FC-11/165/2019-FC dated 27.07.2020, the exemption of CA charges against proposal no. FP/UP/pipeline/123162/2021 has been granted to M/s TGPL, subject to the following conditions-

- a. No tree felling is involved for the proposed work.
- b. After completion of the project the area under ROW should be reclaimed suitably.
- c. UA agrees to make good of any loss to forest/ Environment.
- d. The UA will seek permission from the local Divisional forest officer- Barabanki for carrying out any maintenance.
- e. The proposed area falls in the ROW of the road, which is not passing through the National park and Wildlife sanctuaries.
- f. In case of project involve tree felling, ten trees for each tree marking for removal shall be planted at the cost of user agency in consultation with the local forest department.

In future, if any charges against aforesaid proposal levied, M/s TGPL will pay the same.

Thanking you,

For Torrent Gas Pvt. Ltd.


Mithilesh Kumar Singh
(Manager)


Government of India
Ministry of Environment, Forest and Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan,
Jor Bag Road, Aliganj,
New Delhi - 110003.

Dated: 28th October, 2021

03rd November

To

The Regional Officer,
Integrated Regional Office,
MoEF&CC,
Lucknow.

Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval, under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines - reg.

Madam/Sir,

I am directed to refer to your letter no. 618/2010 17/3080/194 dated 17/8/2021 and inform that the para 4.2 of the comprehensive guidelines dated 28.03.2019 and the guidelines issued by the MoEF&CC vide letter no. 11/165/2019-FC dated 27.07.2020 do not refer to any restriction on the maximum area.

This issue with the approval of competent authority.

Yours sincerely,

Sd/-

(Suneet Bhardwaj)

Asst. Inspector General of Forests

Copy to:

1. The Principal Secretary (Forests), Department of Environment, Forest & Climate Change, Government of Uttar Pradesh, Lucknow.
2. The PCCF & MoFF, Department of Forest and Wildlife, Government of Uttar Pradesh, Lucknow.
3. The Nodal Officer, (FCA), O/o PCCF, Government of Uttar Pradesh, Lucknow.
4. The Manager, Torrent Gas, 14 km Milestone, NH-24, Moradabad, Uttar Pradesh-244001.

कार्यालय मुख्य वन संरक्षक/नोडल अधिकारी, पर्यावरण, वन एवं जलवायु परिवर्तन विभाग, उ०प्र०, लखनऊ।
पत्रांक- 1458 /11-सी-गाइडलाइन, लखनऊ, दिनांक: नवम्बर 03, 2021

प्रतिलिपि- निम्नलिखित अधिकारियों को उपरोक्तानुसार सूचनार्थ एवं आवश्यक अग्रेत्तर कार्यवाही हेतु प्रेषित है-

1. समस्त मण्डलीय/जोनल मुख्य वन संरक्षक, उ०प्र०।
2. समस्त वन संरक्षक/क्षेत्रीय निदेशक, उ०प्र०।
3. समस्त प्रभागीय वनाधिकारी/निदेशक, उ०प्र०।

(अनुपम गुप्ता)

मुख्य वन संरक्षक/नोडल अधिकारी,

Scanned with CamScanner

Government of India
Ministry of Environment Forests & Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj
5th Floor, Agni Wing
New Delhi-110003
Dated: 27th July, 2020

To,
The Principal Secretary (Forests)
All States/UTs

Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval, under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines-reg.

Sir,

I am directed to refer to the representation received from the Government of Punjab through Regional Office Chandigarh vide letter no. 1-2Misc/2019-ROC dated 08.01.2020 on the above mentioned subject and to inform that the matter was considered by the Forest Advisory Committee (FAC) in its meeting held on 23.04.2020.

2. FAC observed that as per existing guidelines dated 28.03.2019, condition mentioned in Para 4.1 (f) is also applicable on the proposals mentioned in Para 4.2. It further observed that laying of underground CNG/PNG and Slurry pipelines in RoW of the existing road is an activity being taken up in forest area which is already under non forest use.

3. After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees.

4. In view of the above, Para 4.2 of the Comprehensive Guidelines issued on 28.03.2019 may be read as:

Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines. General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (*except condition "f"*), subject to the following specific conditions:

- a. *No tree felling is involved for the proposed work*
- b. *After completion of the project the area under RoW should be reclaimed suitably.*
- c. *UA agrees to make good of any loss to Forest/Environment.*

- d. *The UA will seek permission from the local FD for carrying out any maintenance.*
- e. *In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.*
- f. *In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.*

This issues with the approval of the competent authority.

Your faithfully,

(Sandeep Sharma)
Asst. inspector General of Forests

Copy to:

1. The PCCF (HoFF), Department of Forest, All States/UTs.
2. The DDGFs(Central), MoEF&CC, All Regional Offices.
3. The Nodal officer (FCA), Department of Forest, All states/UTs.
4. Monitoring cell of FC Division with request to upload on PARIVESH portal