



**Office of the Deputy Conservator of
Forests, Social Forestry Division,
Van Bhavan, Gangeshwar Mahadev Road,
Opp. D-Mart, Adajan, Surat 395 009**



Email : fo-sf-sur@gujarat.gov.in
dfsurat@gmail.com

Phone No. : 0261 2733831
Fax No. : 0261 2733831

No.B/Land/T-9/4029-32 /2016-17

Dt. 29/06/2016

To,
Officer (ROU)
Gujarat Gas Limited
9 th floor, Avdhesh House,
Shri Govind Gurudwara,
S.G Highway, Ahmedabad-380054
Gujarat

Sub : Proposal for grant of permission 17546 Ha. Of Protected forest for laying 125mm Dia PE gas pipe line 90 mm Dia PE gas pipeline along/across for gas distribution of dist. Surat & Tapi in favour of Gujarat Gas Limited, Ahmedabad, Gujarat.

Ref : 1. Government of Gujarat Forest & Environment Department Letter No. FCA/1915.1013/15/SF 83/F(1), Dt. 04/02/2016
2. Government of Gujarat Forest & Environment Department Letter No. FCA/1915.1013/15/SF 83/F, Dt. 03/05/2016
3. Officer (ROU), Gujarat Gas Limited Gandhinagar's Letter No. GGL/SURATGA/Surat-Tapi/PF/2016/01 dt. 04/04/2016

Sir,

I am directed to invite a reference to your letter no GGL/SURATGA/Surat-Tapi/PF/2016/01 dt. 04/04/2016 on the above mentioned subject seeking prior approval of the Government under Section-2 of the Forest (Conservation) Act, 1980 as per following

TAPI

Sr. No.	Project	Particulars / Details for laying Along & Crossing	Length in Forest (m)	RoU / Width in Forest Land (m)	Total Area in Forest land (Ha)
1	Vyara	NH-53 passing through Vyara (EAST DIRECTION) (1E-03)	481.68	0.375	0.0181
2		NH-53 passing through Vyara (EAST DIRECTION) (1E-03)	1538.48	0.375	0.0577
3		NH-53 passing through Vyara (WEST DIRECTION) (1E-04)	488.00	0.375	0.0181
4		TOP TO Hajraton Dargha (1E-05)	17.50	0.375	0.0066
5		TOP TO Hajraton Dargha (1E-05)	1073.50	0.375	0.0407

SURAT

Sr. No.	Project	Particulars / Details for laying Along & Crossing	Length in Forest (m)	RoU / Width in Forest Land (m)	Total Area in Forest land (Ha)
6	Swagat Residency Connectivity	Swagat Residency connectivity (02-01)	175.12	0.270	0.0047
7	Swagat Residency Connectivity	TOP To GSPC CNG Station(02-02)	764.00	0.270	0.0206
8	Kamrej-I cluster [Laskana, Valak, Bhada, Pasodara, Kholvad, Navagam]	TOP To Pasodara (2B-08)	37.65	0.375	0.0014
9	Kamrej-I cluster [Laskana, Valak, Bhada, Pasodara, Kholvad, Navagam]	Navagam to Vav Police Quarters (2B-11)	2465.80	0.375	0.0925
10	Kamrej-II cluster [Vav, Kamrej]*	DPRC - Kamrej to Vav(2C-02)	39.87	0.375	0.0015
11	Kamrej-II cluster [Vav, Kamrej]*	DPRC - Kamrej to Vav(2C-02)	127.02	0.375	0.0048
12	Kamrej-II cluster [Vav, Kamrej]*	DPRC - Kamrej to Vav(2C-02)	115.18	0.375	0.0043
13	Kamrej-II cluster [Vav, Kamrej]*	Kamrej-Koli Bharthana Road-3 (2C-10)	40.34	0.375	0.0015
14	Kamrej-II cluster [Vav, Kamrej]*	Kamrej Koli Bharthana Road-3 (2C-10)	24.76	0.375	0.0009
15	Kamrej-II cluster [Vav, Kamrej]*	TOP to Krushna Nagar Shopping(2C-13)	19.45	0.375	0.0007
16	Kamrej-II cluster [Vav, Kamrej]*	Nansad Village Site(2C-14)	1293.84	0.375	0.0485
17	Kamrej-II cluster [Vav, Kamrej]*	Kamrej to Bhairav-1(2C-16)	20.70	0.375	0.0008
18	Kamrej-II cluster [Vav, Kamrej]*	TOP to Shri Mangal Society(2C-19)	24.40	0.375	0.0009
19	Kamrej-II cluster [Vav, Kamrej]*	TOP to Avantika Puri Society(2C-20)	21.00	0.375	0.0008
20	Kamrej-II cluster [Vav, Kamrej]*	TOP to Trilok Residency(2C-21)	26.00	0.375	0.0010

21	Kamrej-I cluster	Thakurji Road To House connectivity(2D-01)	239.64	0.375	0.0009
22	Kamrej-I cluster	Ram Krishna Row House connectivity(2D-01)	1665.42	0.375	0.0625
23	Kamrej-I cluster	Ram Krishna Row House connectivity(2D-01)	272.58	0.375	0.0102
24	Kamrej-II cluster	River View Life Style To Ambika Ro-House (125mm Ø PE Gas Line)(2E-01)	322.46	0.375	0.0121
25	Kamrej-II cluster	River View Life Style To Ambika Ro-House (125mm Ø PE Gas Line)(2E-01)	1520.31	0.375	0.0570
26	Kamrej-II cluster	River View Life Style To Ambika Ro-House (125mm Ø PE Gas Line)(2E-01)	137.99	0.375	0.0052
27	To develop City Gas Distribution in Ten and surrounding area on Surat-Bardoli (Old NH-6) highway	PROPOSED GAS PIPELINE FROM TOP TO BARSARI(08-03)	15.01	0.270	0.0004
28	To develop City Gas Distribution in Ten and surrounding area on Surat-Bardoli (Old NH-6) highway	PROPOSED GAS PIPELINE FROM TOP TO TIMBER MART(08-05)	24.68	0.375	0.0009
29	To develop City Gas Distribution in Ten and surrounding area on Surat-Bardoli (Old NH-6) highway	PROPOSED GAS PIPELINE FROM TOP TO TIMBER MART(08-05)	358.90	0.375	0.0135
30	Godadara to Devadh Village	Godadara to Devadh Village(125mm Ø PE)(19-01)	25.27	0.375	0.0009
31	Mota, Baben	Baben Mota Road (24-01)	1675.62	0.375	0.0628
32	Mota, Baben	Nageshwar Temple Connectivity (24-05)	23.00	0.375	0.0009
33	Olpad (Olpad village surrounding area)	Olpad-Andhi Road(125mm Ø PE Gas Line)(28-01)	1317.52	0.375	0.0494
34	Olpad (Olpad village surrounding area)	TOP To Shiv Nagar (125mm Ø PE Gas Line)(28-06)	25.00	0.375	0.0009
35	Olpad (Olpad village surrounding area)	TOP to Shiv Nagar (125mm Ø PE Gas Line)(28-07)	25.00	0.375	0.0009
36	Olpad (Olpad village surrounding area)	TOP to Olpad (125mm Ø PE Gas Line)(28-08)	23.26	0.375	0.0009

37	Bhatha for Commercial Customers on Surat Highway road near Bhatha	Ganay Path exit to Wonder Road, Bhatha (near Hazira main Road) (30-01)	35.94	0.375	0.0013
38	Kadod-Mandvi Road, Bardoli	Kadod-Mandvi Road & Bardoli-Dhamdod Lumbha Road (31-01)	355.00	0.375	0.0133
39	To develop City Gas Distribution in Vadoli Village in Surat District of Surat GA	Vadoli CGS to Vadoli DPRC (32-02)	390.28	0.914	0.0357
40	To develop City Gas Distribution in Vadoli Village in Surat District of Surat GA & Vadoli Village	Vadoli CGS to Vadoli DPRC (12" ø Steel) (32-02) & Vadoli Main Road (125mm ø PE) (33-01)	315.00	0.914	0.0288
41	Vadoli Village	Vadoli-Bhadol Road (125mm ø PE) (33-02)	1160.00	0.375	0.0435
42	Vadoli Village	TOP On GGL Gas P/L To Gokuldham Residency (125mm ø PE) (33-04)	22.02	0.375	0.0008
43	Vadoli Village	TOP To Saburi Farm (125mm ø PE) (33-05)	20.00	0.375	0.0008
44	Vadoli Village	TOP To Saburi Farm (125mm ø PE) (33-05)	23.57	0.375	0.0009
45	Vadoli Village	TOP To Saburi Farm (125mm ø PE) (33-05)	578.43	0.375	0.0217
46	Kathor	TOP To NH-8 Toll Plaza (125 mm ø PE) (34-04)	41.00	0.375	0.0015
47	Kathor	TOP To Grave Yard (125 mm ø PE) (34-05)	33.63	0.375	0.0013
48	Kathor	TOP To Velanja (125 mm ø PE) (34-06)	1013.55	0.375	0.0380
49	Kathor	TOP To Velanja (125 mm ø PE) (34-06)	1173.35	0.375	0.0440
50	Kathor	TOP To Velanja (125 mm ø PE) (34-06)	457.76	0.375	0.0172
51	Kathor	TOP To Kathor (125 mm ø PE) (34-08)	10.36	0.375	0.0004
52	Kathor	TOP To Kathor (125 mm ø PE) (34-09)	11.36	0.375	0.0004

515

53	Kathor	TOP To Asnabad (125mm Ø PE Gas Line) (34-12)	1190.57	0.375	0.0019
54	Kathor	Across NH-8 (To Mansarovar) (125mm Ø PE Gas Line) (34-13)	50.00	0.375	0.0019
55	Kathor	Proposed Gas Pipeline Parallel NH-8 (125mm Ø PE Gas Line) (34-14)	150.00	0.375	0.0056
56	Olpad & Asnabad Village, Olpad-Sayan road	DPRC-29 To Industries (125mm Ø PE) (35-01)	487.12	0.375	0.0183
57	Olpad & Asnabad Village, Olpad-Sayan road	TOP To Olpad G.I.D.C (125mm Ø PE) (35-02)	1388.00	0.375	0.0521
58	Olpad & Asnabad Village, Olpad-Sayan road	Olpad-Saras Road (South Direction)(125mmØPE)(35-03)	25.00	0.375	0.0009
59	Olpad & Asnabad Village, Olpad-Sayan road	Surat - Olpad Road (125mm Ø PE) (35-06)	651.00	0.375	0.0244
60	Olpad & Asnabad Village, Olpad-Sayan road	Olpad - Saras Road (North Direction) (125mm Ø PE) (35-07)	25.00	0.375	0.0009
61	Olpad & Asnabad Village, Olpad-Sayan road	TOP To OLPAD G.I.D.C (125mm Ø PE) (35-08)	23.00	0.375	0.0009
62	Kim YHS & DOM Cluster (YHS Societies on Kim-Borasara Road, Nawapara village, SH-65 & Domestic customers near Kim railway station(east side), Mota Borasara, Borasara Village, Kudsad village)	SH-65 passing through Kim (DPRC - Kim yhs to Kim cross road on NH-8) (125mm Ø PE) (38-01)	26.50	0.375	0.0010
63	Kim YHS & DOM Cluster (YHS Societies on Kim-Borasara Road, Nawapara village, SH-65 & Domestic customers near Kim railway station(east side), Mota Borasara, Borasara Village, Kudsad village)	SH-65 passing through Kim (DPRC - Kim yhs to Kim cross road on NH-8) (125mm Ø PE) (38-01)	3622.50	0.375	0.1358
64	Kim YHS & DOM Cluster (YHS Societies on Kim-Borasara Road, Nawapara village, SH-65 & Domestic customers near Kim railway station(east side), Mota Borasara, Borasara Village, Kudsad village)	Mota Borsara Connectivity(Up To Canal Crossing) (125mm Ø PE) (38-02)	1061.56	0.375	0.0098

65	Kim YHS & DOM Cluster (YHS Societies on Kim-Borasara Road, Nawapara village, SH-65 & Domestic customers near Kim railway station(east side), Mota Borasara, Borasara Village Kudsad village)	Mota Borasara Connectivity (125mm ø PE)(38-04)	2073.56	0.375	0.0778
66	Kim YHS & DOM Cluster (YHS Societies on Kim-Borasara Road, Nawapara village, SH-65 & Domestic customers near Kim railway station(east side), Mota Borasara, Borasara Village Kudsad village)	TOP TO KIM (125mm ø PE) (38-05)	3622.00	0.375	0.1358
67	To set up CNG station on Canal Road towards NH-8, Near Kosamda village, Kosamda in Surat	PROPOSED CNG STATION ON CANAL ROAD TOWARDS NH-8, NEAR KOSAMDA VILLAGE, KOSAMDA IN SURAT (11-01)	415.98	0.610	0.0254
68	To set up CNG station on Canal Road towards NH-8, Near Kosamda village, Kosamda in Surat	PROPOSED CNG STATION ON CANAL ROAD TOWARDS NH-8, NEAR KOSAMDA VILLAGE, KOSAMDA IN SURAT (11-01)	35.00	0.610	0.0021
69	To set up CNG station on Canal Road towards NH-8, Near Kosamda village, Kosamda in Surat	PROPOSED CNG STATION ON CANAL ROAD TOWARDS NH-8, NEAR KOSAMDA VILLAGE, KOSAMDA IN SURAT (11-01)	3476.23	0.610	0.2119
70	To set up CNG station on Canal Road towards NH-8, Near Kosamda village, Kosamda in Surat	PROPOSED GAS PIPELINE PARALLEL TO SURAT BRANCH CANAL(11-02)	12.00	0.457	0.0005
71	To set up CNG station near Sardar Market on Surat-Kadodara Road in Surat	EX GGL 6"Ø NB Steel Pipeline Near New Bombay Market To Proposed CNG Station (Parallel To SH(OLD NH-6))(14-01)	602.96	0.457	0.0276
72	To set up CNG station near Sardar Market on Surat-Kadodara Road in Surat	EX GGL 6"Ø NB Steel Pipeline Near New Bombay Market To Proposed CNG Station (Parallel To SH(OLD NH-6))(14-01)	58.91	0.457	0.0027
73	To set up CNG station Opp Baroda Rayon in Pandesara on Surat-Naysan Main Road in Surat	FROM EX 4"Ø MPT-28 TO SHAKTI IOCL PETROL PUMP(16-01)	1025.74	0.305	0.0313

74	To set up CNG station in Amboli-Kamrej & Vadoli Village	FROM KATHOR VILLAGE TO V.D. PETROL PUMP (12" Ø STEEL Gas Line)(04-01) & Kathor-Sayan Road (125 mm ø PE) (34-01)	22.85	0.914	0.0021
75	To set up CNG station in Amboli-Kamrej & Vadoli Village	FROM KATHOR VILLAGE TO V.D. PETROL PUMP (12" Ø STEEL Gas Line)(04-01) & Kathor-Sayan Road (125 mm ø PE) (34-01)	536.60	0.914	0.0491
76	To set up CNG station on NH-6/NH-53, Palsana to Surat carriage way	PROPOSED CNG STATION ON NH-53, PALSANA TO SURAT CARRIAGE WAY)(12-01)	57.26	0.305	0.0017
77	To develop City Gas Distribution in Arthan, Lingad, Taraj & Bhatia Villages in Surat District.	Erthan to Bhatia (37-02)	60.00	0.375	0.0023
SURAT & TAPI DISTRICT TOTAL					1.7546

Government of Gujarat, Forest & Environment Department, Gandhinagar vide its circular mentioned under Reference has delegated powers under "General Approval" to the concerned divisional forests officer to grant approval under forest (Conservation) act 1980 for laying of underground optical fibre cables, telephone lines, drinking water, electric lines, CNG/PNG pipeline and Petroleum pipeline along the roads within existing right of way not falling in National Parks and Wildlife sanctuaries without felling of trees, where the maximum size of the trench is not more than 2.00 meter depth and 1.00 meter width subject to certain conditions

AND whereas the user agency while applying and through the documents submitted has confirmed that its FCA proposal falls along the roads within existing right of way not falling in National Parks and Wildlife sanctuaries without felling of trees, where the maximum size of the trench is not more than 2.00 meter depth and 1.00 meter width and hence fulfils all the above specified conditions and eligibility, as laid down in circular mentioned at ref (1) and falls under the category of proposal eligible for "general approval"

AND whereas having verified on the site that above facts are correct and fulfils the above specific conditions of "general approval" the following order is issued.

In view of the above the undersigned is pleased to convey its "in principle" approval for diversion of 1.7546 Ha. of Protected Forest Land in Surat & Tapi District subject to the following conditions

1. The permission is granted only for use of the forest land for the purpose specified in the proposal. The legal status of the forest land shall remain unchanged
2. The cost of NPV Registration Fees, Processing Fees etc. as per Demand Note attached herewith shall be deposited in advance with the Forest Department by the project authority
3. The User Agencies shall generate challan through OSMFWC portal before making payment for Stage-II Clearance process. All the fund shall be deposited through OSMFWC portal by the User Agency
4. In future if any amount regarding Net present Value (NPV) of Compensatory Afforestation (CA) is required the user agency is bounded to pay in favour of Deputy Conservator of Forest
5. The forest land shall not be used for any purpose other than that specified in the FCA proposal

- 6 The user agency will have to obtain permission from the undersigned for carrying out any maintenance works in future
- 7 The user agency will have to make good the forest land after use / maintenance work. No tree shall be cut
- 8 The user agency will be liable to make good any loss to Forests / Environment caused due to the use of the said land by the user agency
- 9 The user agency will seek permission from the Road & Building Department / Science & Technology Dept. Sachivalaya, Gandhinagar if required so
- 10 The line will be laid underground in a trench of depth of 1.65 meters and width of 65 cm in between rows of road side plantation
- 11 The User Agency shall submit the details regarding compliance of MoEF's guideline dated 03.08.2009 and 05.02.2013 with regard to the Scheduled Tribe & Other Forest Dwellers (Recognition of Forest Rights) Act 2006.
- 12 The additional conditions under chapter-5 of Forest (Conservation) Act 1980 shall be applicable to this proposal as the Government of Gujarat's Resolution No FCA-1013/11-10/11/SF-24/F Dated 12.06.2015. The user agency shall comply additional condition as per the aforementioned resolution
- 13 Any other condition which the Nodal Officer (FCA) / the State Government may stipulate from time to time

After receipt of the compliance report on the fulfillment of condition no (2) (3) (5) & (12) mentioned above from you, order of formal approval will be issued by this Department


Deputy Conservator of Forests
Social Forestry Division, Surat

Copy Submitted to The Principle Secretary, Forests & Environment Department, Gujarat State, Gandhinagar
Copy Submitted to Additional Principle Chief Conservator of Forests land, Gujarat State, Gandhinagar
Copy Submitted to  Conservator of Forests, Bharuch Social Forest Circle, Bharuch