Site Inspection Report

(For the forest Land proposed to be diverted under FCA)

A proposal has been received by this office from Idea Cellular Gandhinagar for diversion (Under FCA) of 1.9125 protected forest land for non forestry purpose i.e. laying optical fiber cable along the laying Underground Road side area parallel strip plantation road as per proposal 1.9125 Ha. In Vajadi-Chapara, Rajkot-Gondal, Lodhika-Ribda - Rajkot Dist. The Site Inspection of the land involved in the proposal has been done by me on. Dt. 6 / 10 /2015

On Inspection of the site it is found that the land required by the user agency is a ProtectedForestlandadmeasuring 1.9125 ha

The requirement of forestland as proposed by the user agency in col 2 of part

- I is unavoidable and barest minimum for the project.

No protected, archaeological / heritage site / defense establishment or any other important monuments is located in the area.

No rare / endangered / unique species of flora and fauna found in the area.

The use agency has not violated the provision of forest (Conservation)

Act-1980 and no work has been started without prepar sensition

Act-1980 and no work has been started without proper sanction.

It has been found that the user agency has violated the FCA provisions and has started the following works without proper sanction under FCA. If so,

C.Date of starting the work

D. The nature and extent of work done

It is recommended to divert this land for above mentioned purpose.

(R.Senthilkumaran)

Deputy Conservator of forets

Social Forestry Division Rajkot

Place: Rajkot Dt. /2015

N.B.

• State the purpose for which the forest land is proposed to be diverted. Out of (a) and (b) tick () the option which is applicable and cross (X) the option which is not application.

As per letter No. 2-2/2000-FC. Dated. 16.10.2000 from the Ministry of Environment and forests, Government of India, for proposals involving less than 40 ha. of forestland the Site Inspection Report from the DFO is required and for proposals involving more than 40 ha. of forestland Site Inspection Report from the Conservator of Forest is required.