

SITE INSPECTION REPORT OF CONSERVATOR OF FORESTS, MADURAI CIRCLE

I inspected the site proposed for laying sewage line in Valkaradu R.F. with District Forest Officer, Theni and Forest Range Officer, Theni on 14.11.2015. The linear area proposed for laying sewage line is located right on the boundary of Valkaradu RF adjacent to the Theni Allinagaram Municipality Residential area.

The area for which proposed is barest minimum and absolutely essential. Hence I recommended the proposal.




1/4

(F.R. Ikram Mohammed Shah)
Conservator of Forests
Madurai Circle, Madurai.

PART - III
(To be filed by the concerned Conservator of Forests)

14.	Whether site, where the forest land involved is located has been inspected by the concerned Conservator of Forests (Yes / No). If yes the date of inspection and observation made in the Inspection Notes to be enclosed.	Yes. Inspected the site proposed for laying sewage line in Valkaradu RF with District Forest Officer, Theni on 14.11.2015. The linear area proposed for laying sewage line is located right on the boundary of Valkaradu RF adjacent to the Theni Allinagaram Municipality Residential area. The area for which proposed is barest minimum and absolutely essential. Hence, I recommend the proposal.
15.	Whether the concerned Conservator of Forests agree with the information given in Part - B and the recommendation of Deputy Conservator of Forests.	Yes. I agree with the view of the District Forest Officer.
16.	Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.	Recommended to accord approval under General category for laying sewage line passing through Valkaradu R.F.


16/11/2015 3/4
Conservator of Forests,
Madurai Circle, Madurai.