

Annexure-17

Site Inspection Report

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Anand R & B Division Anand for permission for diversion (under FCA) of 0.99375 ha of forest land for non forestry purpose i.e. for Construction of new ROB on Pansora-Bhalej-Anand Road and Bhalej –Ahima Road, Anand District in the state of Gujarat. The site inspection of the land involved in the proposed had been done by me on Dt.: 28 /11/2015.

On inspection of the site it is found that the land required by the user agency is a PF forest admeasuring **0.99375 ha.**

The requirement of forest land as proposed by the agency in Col.2 of part-I is unavoidable and barest minimum for the project.

No protected archaeological/heritage site/deface establishment or any other important and barest minimum for the project.

No rare/endangered / unique species of flora and fauna found in this area.

XX (A) The user agency has not violated the provision of Forest (Conversation) Act-1980 and no work has been stated without proper sanction.

OR

X (B) ~~It has been found that the user agency has violated the FCA provision and has stated the following works without proper sanction under FCA.~~

If so,

(1)~~Date of starting the work.~~

(2)~~The nature and extent of work done.~~

It is recommended to divert this land for above mentioned purpose.

Place: - Anand.

Date: - 2 /12/2015.


(A.H.Gadhi)

Dy Conservator of Forests
Social Forestry Division
Anand

N.B. X State the purpose for which the forest land is purposed to be diverted.

XX out of (a) (☒) and (b) (☐) the option which is applicable and cross (X) the option which is not applicable.

As per latter No.2-2/2000-FC, Dt. 16/10/2000 from Ministry of Environment and Forest, Govt. of India, for proposals involving less than 40 ha. Of forest land. The site inspection report from Dy. CF is required and for proposal involving more than 40 ha. Of Forest Land Site inspection report from the conservator of forest it requires.