

11 Title of the Project:- Diversion of Forest Land for Construction of Petrol Pump SH-17 Hisar-Tohana road L/S at Village Bithmara Distt. Hisar

File No. : FP/HR/Others/8054/2014/FCA-445

Date of Proposal: 11-02-2015

CHECK LIST SERIAL NUMBER: 16

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from IOCL Hisar for diversion (under FCA-1980) of 0.011 ha. of forest land for non forestry purpose. The subject envisages the use of forest land for Diversion of Forest Land for Construction of Petrol Pump SH-17 Hisar-Tohana road at Village Bithmara Distt. Hisar. The site inspection of the land involved in the proposal has been done by me on dated 05-03-2015.

On inspection of the site, it is found that the land required by the user agency is a forest measuring 0.011 ha.

The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof.

Whether any protected archaeological/ heritage site/ defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required.

(a)The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction. Yes (No violation)

(b)It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter 1, Part C of Hand book of Forest (Conservation) Act, 1980 is attached).

Specific recommendation for acceptance or otherwise of the proposal.

May be accepted for public utility purpose

Date:-11-02-2015

Place:- Hisar

Signature

Name.. Divisional Forest Officer

Designation.. Hisar Forest Division

HISAR

Office Seal _____