

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from National Highway Division, PWD, Etawah for diversion (under FCA-1980) of 7.7285 hec. of forest land non-forestry purpose. The project envisages the use of forest land for construction of four lane widening of National Highway No. 92 (New NH-719) from chainage 68+000 to 69+850 of Bawar-Etawah-Gwalior Road in Etawah. The site inspection of land involved in the proposal has been done by me on dated 17/3/15.

On inspection of site, it is found that the land required by the user agency is a PF/unclassed/Protect forest measuring 7.7285 hec.

The requirement of forest land as proposed by the user agency in Col. 2 of part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna in the area. If so, the details thereof. NIL

Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. NIL

- a. The user agency has not violated the provisions of forest (Conservation) Act, 1980 and no work has been started without proper sanction.
- b. It has been found that the user agency has violated the forest (Conservation) Act, 1980 provisions. A detail report as per para 1.9 of chapter-1 ; para C of handbook of (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

Place.....Etawah

[Signature]
Divisional Forest Officer

Social Forestry Division

Etawah

- N.B.** X state the purpose for which the forest land is proposed to be diverted.
XX out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter no. 2-2/2000-FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hec. of forest land, the site inspection report from DCF is required and proposal involving more than 40 hec of forest land site inspection report from the Conservator of Forests is required.