

ANNEXURE -17

Site Inspection report of the forest area involved in the project proposal

**Site Inspection Report**

(For the forest land to be diverted under FCA)

A Proposal has been received by this officer from Executive Engineer(Construction)GETCO,Jambuva,Vadodara for diversion (under FCA) of 4.20.30 ha. of forest land for non forest purpose. The project envisages the use of forest land for Diversion of 4.20.30 Ha. Reserved Forest Land for laying of 66KV S/C Savdas na Muvada to Rajayata "H" Frame line with ACSR Panther Conductor at Ta.:- Morva(Hadaf) & Santrampur,Dist:-Panchmahals & Mahisagar in favour of Gujarat Energy Transmission Corporation Limited(GETCO) The site inspection of the land involved in the proposed has been done by me on Dt:17/ 1 /2015

On inspection of the site it is found that the land required by the user agency is a ~~Protected Forest~~/ Reserve forest admeasuring of 4.20.30 ha.

The requirement of forest land as proposed by the agency in Col.2 of Part-1 is unavoidable and barest minimum for the project.

No protected archeological/heritage site/deface establishment or any other important monuments is located in the area.

No rare/endangered/unique species of flora and fauna found in the area.

√ (a) The user agency has not violated the provision of Forest(Conservation) Act-1980 and no work has been started without proper sanction

or

X (b) It has been found that the user agency has violated the FCA provision and has started the following works without proper sanction under FCA.

If so,

(1) Date of starting the work :- ----

(2) The nature and extent of work done :- ---

It is recommended to divert this land for above mentioned purpose.

Date :24/4/2015

Place: Godhra

( J. L. Jhala )

Deputy Conservator of Forest  
Godhra

N.B. <sup>x</sup> State the purpose for which the forest land proposed to be diverted.

<sup>xx</sup> out of(a) and (b) tick (√) the option which is applicable and cross(X) the option which is not applicable.

As per letter No. 2-2/2000-FC, Dt.16.10.2000 from Ministry of Environment and Forest, Govt., of India, for proposals involving less than 40 ha. of forest land. The site inspection report from Dy.C.F. is required and for proposal involving more than 40 ha. of Forest Land Site inspection report from the conservator of forest is requires.