

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from PWD SAHJUA
for diversion under FCA-1980) of ----- ha. of forest
land non-forestry purpose. The Project envisages the use of forest land for construction
of SUBMERGANS TO CHACHRAD GAON
The site inspection of the land involved in the proposal has done by me on dated-
28/4/2015

On inspection of the site, it is found that the land required by the user agency is a
RF/PF/un-classed/Protect forest measuring 0.6784 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is
unavoidable and is barest minimum required for the project. yes

Whether any rare / endangered / unique species of flora and fauna found in the area. If,
so the details there of.- No

Whether any protected archeological / heritage site / defense establishment or any other
important monuments is located in the area, if, so the details there of with NOC from
competent authority, if required.- No

- a) The user agency has not violated the provisions of forest (Conversation), Act
1980 and no work has been started without proper sanction. yes
- b) It has been found that the user agency has violated the forest (Conservation),
Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of
Handbook of forest (Conservation) Act, 1980 is attached. No

Specific recommendation for acceptance or otherwise of the proposal.

Recommended

Place:- Kalsi
Date... 28/4/2015

(Signature)

Name... (Dr. Diwakar Sinha)

Designation... प्रभागीय वनीयकारी

Office Seal चक्राता वन प्रभाग

चक्राता देहरादून

- N.B. ☒ state the purpose for which the forest land is proposed to be diverted.
☒ out of (a) and (b) tick the option which is applicable and cross the option
which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment &
Forests, Government of India for proposal involving less than 40 hectares of forest
land, the site inspection report from DCF is required and for proposal involving more
than 40 hectares of forest land site inspection report from the conservation of forests is
required.