

33
Area of 0.1776 ha of forest land for Harvesting of rain water 350mm dia on Faridkot-Ferozepur road from Sadiq Chowk to RD 1.9 to 4.20 R/s (NH-15) Division Ferozepur.

CHECK LIST SERIAL NUMBER:-15

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer (PH), Punjab Mandi Board for diversion (Under FCA 1980) of 0.039369 ha. of forest land for non-forestry purpose. The project envisages the use of forest land for **Harvesting of rain water 350mm dia on Faridkot-Ferozepur road from Sadiq Chowk to RD 1.9 to 4.20 R/s (NH-15) Division Ferozepur.** The site inspection of the land involved in the proposal has been done by me on dt. 14/5/15.

On inspection of the site, it is found that the land required by the user agency is a RF/ PF/un-classified forest measuring 0.1776 ha

The requirement of forestland as proposed by the user agency in Col. 2 of part-I is unavoidable and barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. NA
If so, the details thereof.

Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area. NA

If so, the details thereof with NOC from competent authority, if required

- (a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.
- (b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. Detailed report as per para 1.9 of Chapter 1, Part C of Handbook of Forest (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

Recommended

Place: Ferozepur

Date:.....

(Signature)

Name
DIVISIONAL FOREST OFFICER
DESIGNATION
Office FEROZEPUR

N.B.

- ^x state the purpose for which the forest land is proposed to be diverted.
- ^{xx} out of (a) and (b) tick (✓) the option which is applicable and cross (x) the option which is not applicable.

As per letter number 2-2/2000-FC dated 16.10.2000 from Ministry of Environment & Forests Government of India for proposal involving less than 40 hectare of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectare of forest land site inspection report from the Conservator of Forests is required.

88
DIVISIONAL FOREST OFFICER
FEROZEPUR DIVISION
FEROZEPUR