

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from E.E. P.W.D. SAHIBA for diversion under FCA-1980) of ----- ha. of forest land non-forestry purpose. The Project envisages the use of forest land for construction of VASALGAON LIMITED VIA THANA MANDIR TAKAH PUNHA ~~M-ROAD~~ The site inspection of the land involved in the proposal has done by me on dated 19-5-2015

On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Protect forest measuring 2.65 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-1 is unavoidable and is barest minimum required for the project. Yes

Whether any rare / endangered / unique species of flora and fauna found in the area. If, so the details there of.- NO

Whether any protected archeological / heritage site / defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required.- No

- a) The user agency has not violated the provisions of forest (Conversation), Act 1980 and no work has been started without proper sanction. Yes
- b) It has been found that the user agency has violated the forest (Conservation), Act, 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached. NO

Specific recommendation for acceptance or otherwise of the proposal.

Recommended.

Place:- Kalsi
Date... 19/5/2015

(Signature)

Name... SI. G. K. Singh
Designation... प्रभागीय वन अधिकारी
Office Seal प्रकृति वन प्रभाग
प्रकृति विहार

- N.B. x state the purpose for which the forest land is proposed to be diverted.
xx out of(a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.