

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)**

A Proposal has been received by this office from **Meerut Development Authority Meerut** For diversion under (FCA-1980) of **0.022 Ha.** of forest land non-forestry purpose. The Project envisages the use of forest land for **Laying Under Ground 33 KV. Cable Line For Enegezation 33/11 KV. Substation (Under Construction) L.T. Park in Vedvyaspuri Housing Scheme.** The site inspection of the land involved in the proposal has done by me on dated. 21.05.2015.

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest measuring - **440 mt. x 0.50 mt. = 220 Sq. mt. Or 0.022 Ha.**

The requirement of forest land as proposed by the user agency in col. 2 part -1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of :- **NIL**

Whether any protected archeological/heritage site/defense establishment or any other important mounuments is locaed in the area, if so the details there of with NOC from competent authority, if required :- **NIL**

(a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. :- **Yes**

(b) It has been found that the user agency has viotated the forest (Conservation), Act 1980 provisions. A detail report as per para 1.9 of chapter 1, Para c of Handbook of forest (Conservation), Act 1980 is Attached. :- **NIL**

Specific recommendation for acceptance of otherwise of the proposal.

Place :- Meerut.

Date :- 21-05-2015



(Sushant Sharma)
Divisional Director
Social Forestry Division
Meerut.