

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF  
(For the forest land to be diverted under FCA)**

A proposal has been received by this office from **Essar Oil Limited , A-5, Sector- 3, Noida** for diversion under (FCA-1980) of 0.0920 ha. of Forest land for non-forestry purpose. The project envisages the use of forest land for construction of **Petrol Pump Tundla- Etah Road ( S.H.- 31) K.M.- 32 to 33 on Left Branch** . The site inspection of the land involved in the proposal has done by me on dated: **30-05-2015**

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring **0.0920 Hac.**

The requirement of forest land as proposed by the user agency in col. 2 part - 1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. if, so the details there of:- **(No)**

Whether and protected archeological/heritage site/defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required;- **( No)**

- (a) The user agency has not violated the provisions of forest (Conversation), Act- 1980 and no work has been started without proper sanction. **(Yes)**
- (b) It has been found that the user agency has violated the forest (Conversation), Act- 1980 provisions, detail report as per para 1.9 of chapter 1, para C of Handbook of Forest (Conservation) Act- 1980 is attached. **( No)**

Specific recommendation for acceptance or otherwise of the proposal.

*Recommended for the Acceptance of the proposal.*

Place- Etah  
Date - 30-05-2015

  
**( Semmaran M.)**  
Divisional Forest Officer  
Etah

N.B. **Essar Oil Limited , A-5, Sector- 3, Noida** State the purpose for which the forest land is proposed to be diverted.

- (a) Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated - 16-10-2000 from Ministry of environment & forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.