SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF (for the forest land to be diverted under FCA)

5.1	A proposal has been received by this office from . Sily o sily o sily of the forms
ć	diversion under FCA-1980) of
	The project envisages the of forest land for construction of the and the land the la
	sit inspection of the land involved in the proposal has the
	dated
5.2	On inspection of the site it is found that the land required by the user agency is a BE/PE/III and the land required by the land requir
	other forests measuring
5.3	The requirement of forest land as proposed by the used agency in co 1.2 part-1 is unavoidable and is
	barest minimum required for the project.
5.4	Whether any rare/endangered/unique species of 5
5.5	Whether any protected archeological/h. it was the area. If, so the details there of:- No
	xx Whether any protected archeological/heritage/site/defence establishment or any other important
	monument is located in the area, if, so the details thereof with NOC from competent authority, if
	No.
a)	The user agency has not violated the provisions of forest (Conservation) Act, and 1980 and no work
0 .	has been started without proper sanction.
b)	It has been found that the user agency tha violated (Conservation) Act, and 1980 provisions. A
	detals report as per para 1.9 of chapter 1, para C of Hand book of forest (Conservation) Act, 1980
	attached.
	Specific recommendation for acceptance of otherwise of the proposal.
	1 N 11 14 4 111041/1 Eld SE 112 114419 E TITLE TO 10 0
lace.	गरेर या सांकी सामान्तिम होगा और जाता का सामाना या
Date	(Singnature)
	Name Name
	Designation 1917
	Office Seal ve High an sale
В	X State the purpose for which the formation is
iverted	X State the purpose for which the forest land is proposed to be

N D

xx out of (a) and (b) tick the option which is applicable and cross the

As per letter number 2-2/2000 FC darted 16-10-2000 from ministry of Environment & Forest Government of india for proposal involving less then 40 heetares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.