

Annexure-17

Site Inspection Report

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from **Executive (ROU), GSPC GAS COMPANY LTD.** for diversion (under FCA) of Forest Land for non Forestry purpose. The project envisages the use of forest land for

Diversion of (398.40Sq Mt.) i.e. **0.0398 ha PF** land for laying 90/125mm dia. MDPEGas Pipeline TOP on Mark Ceramic to Altra Ceramic. R.K. Ceramic and Akshar Ceramics Connectivity in Taluka **Thangadh**. Dist. Surendranagar. Width of Trench to be Dug is 0.40 M

The site inspection of the land involved in the proposal has been done by me on

Dt. **23/07/2015**

On inspection of the site it is found that the land required by the user agency is a Protected Forest admeasuring **0.0398 ha**. in Ta. **Thangadh**.


Diversion of (12.00Sq Mt.) i.e. **0.0012 ha PF** land for laying 90mm dia. MDPEGas Pipeline on Dedadra to Jamar Connectivity in Taluka **Lakhtar** Dist. Surendranagar. The site inspection of the land involved in the proposal has been done by me on

Dt. **23/07/2015**

On inspection of the site it is found that the land required by the user agency is a Protected Forest admeasuring **0.0012 ha** in Ta. **Lakhtar**.

The requirement of forest land as proposed by the Agency in Col.2 of Part-1 is unavoidable and barest minimum for the project.

No protected archaeological/heritage site/defense establishment or any other important and barest minimum for the project.


(C.A.C. Patel)
Dy. Conservator of Forests
Social Forestry Division
Surendranagar.

No rare/endangered/unique species of flora and fauna found in this area.

(A) The user agency has not violated the provision of Forest Conservation Act-1980 and no work has been started without prior sanction.

I recommend to divert this total **0.0410 ha.** land for above mentioned purpose.

Place: Surendranagar

Date: 31 /07/2015


(A.C.PATEL)

Dy. Conservator of Forests
Social Forestry Division
Surendranagar

As per letter No.2-2/2000-FC, Dt. 16/10/2000 from Ministry of Environment and Forest, Govt. of India, for proposals involving less than 40 ha. of forest land. The site inspection report from Dy. CF is required and for proposal involving more than 40 ha of Forest land, Site inspection Report from the Conservator of Forests is Required.