

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A Proposal has been received by this office from **C.M.O, Etawah. (A U.P. Government)**. for diversion under (FCA- 1980) of **0.96 Ha.** of forest land non-forestry purpose. The project envisage the use of forest land for construction of **C.H.C Head Quarter, Takha at Takha Singhua Forest Block, Bharthana Range, Takha Block in Etawah District..** The site inspection of the land involved in the proposal has been done by me on **dated**

On inspection of the site, it is found that the land required by the user agency is a RF/un-classed/protect forest measuring **0.96 Ha. (R.F. 0.96 Ha.) Yes.**

The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required for the project. **Yes.**

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of:- **NIL.**

Whether any protected archeological/heritage site /defence establishment or any other important mounuments is located in the area, If so the details there of with NOC from competent authority, if required:- **NIL.**

- (a) The user agency has not violated the provisions of forest (conservation). Act 1980 and no work has been started without proper sanction (✓)
- (b) It has been found that the user agency has violated the forest (conservation) Act 1980 provision .A detail report as per para 1.9 of chapter 1, para C of Hand book of forest(conservation) Act 1980 is attached. (X)

Specific recommendation for acceptance or otherwise of the proposal- Recommended

Place: Etawah

Date: 15/9/15

(Kanhaiya Patel)

Divisional Forest Officer,

सा० ना० प्रभाग
Etawah

इटावा

- N.B. X. State the purpose for which the forest land is proposed to be diverted.
XX Out for (a) and (b) tick the option which is applicable and cross the option which is not applicable.
As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forest ,Government of India for proposal involving less than 40 hectares for forest land the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.