

## SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF (For the forest land to be diverted under FCA)

A proposal has been received by this office from Easar Oil Ltd., Divisional Office Vibhooti Khand, Gomti Nagar Lucknow For Diversion under FCA-1980 of 0.06677 ha. of Forest land for non-forestry purpose. The Project envisages the use of forest land for construction of Retail Outlet at Sandila-Balamau Road (SH-25) between Km.202-203 on Left side. The Site inspection of the land involved in the proposal has been done by me on Dated. 20.09.2016.

On inspection of the site, it is found that the land required by the user agency is a PF/Protect forest measuring 0.06677 hac.

The requirement of forest land as proposed by the user agency in Col.2 Part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of - unique species details are **Inclosed**

Whether any protected archaeological/heritage site/ defense establishment or any other important monument is located in the area. if, so the details there of with NOC from competent authority, if required- **Nil**

(a) The user agency has not violated the provisions of forest Conversation Act.1980 and no work has been started without proper sanction. **Yes**

(b) It has been found that the user agency has violated the forest conservation, Act 1980 provisions. A detail report as per Para 1.9 of chapter 1, Para C of Handbook of Forest conservation Act, 1980 is attached, **Nil**

Specific recommendation for acceptance or otherwise of the proposal.

Recommended for the acceptance of the proposal

Palce- Hardoi  
Date- 30/9/16

**प्रभागीय निदेशक**  
सामाजिक वानिकी वन एवं वन्य जीव प्रभाग  
हरदोई

(G.C.Tripathi )  
Divisional Director  
Social Forestry Division  
Hardoi

As per letter number 2-2/2000 FC dated 16-10-2000 from ministry of environment & forest government of India for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.