

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A Proposal has been received by this office from Gail (India) Limited (A Government of India Undertaking – A Maharatna Company).

For diversion under (FCA-1980) of **0.0320** ha. of forest land non-forestry purpose. The projects envisage the use of forest land for Construction of Gas pipeline widening. The site inspection of the land involved in the proposal has done by me on dated ... 24.7.2016

On inspection of the site, it is found the land required by the user agency is a protect forest measuring **0.0320 Ha (P.F. – 0.0320 Ha)**.

The requirement of forest land as proposed by the user agency in col. 2 part -1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, So the details there of:- **NONE**

Whether any protected archeological/heritage site/defense establishment or any other important monuments' is located in the area, if so the details there of with NOC from competent authority, if required:- **NONE**

- (a) The user agency has not violated the provision of forest (conversation) Act, 1980 and no work has been started without proper sanction. () **YES**
- (b) it has been found that the user agency has violated the forest (conversation), Act 1980 provision. A detail report as per paira 1.9 of chapter 1 paira C of Hand book of forest (conversation), Act 1980 is attached. (x)

Specified Recommendation for acceptance or otherwise of the proposal.

Place :- Chandauli

Date :-

(Mulchand)
Divisional Forest Officer
Chandauli, रामनगर
वाराणसी।

B.X. State the Propose for which the forest land is proposed to be diverted. XX Out for (a) and (b) tick the option which is applicable and cross the option which is not applicable.
As per letter number 2-2/00 FC dated 16.10.2000 from Ministry of Environment & Forest, Government of India for proposal involving less than 40 hectares for forest land the site inspection report from DFC is required and for proposal involving more than 40 hectares of forest land site inspection report from the conversation of required.