

OFFICE OF DY. CONSERVATOR OF FOREST, JHUNJHUNU

SITE INSPECTION REPORT NOT BELOW THE RANK OF Dy. C.F.

(For the Forest Land to be diverted under FCA)

Name of Project :- ITJSK PACKAGE 2 DRINKING WATER PROJECT

A Proposal has been received by this office from Ex.En. PHED Project division khetri for diversion (under FCA-1980) of 0.5662 hac. of forest land for non forestry purpose. The subject envisages the use of forest land for Laying of drinking water pipe line and ESR construction.

The site inspection of the land involved in the proposal has been done by me on dated 22-10-2016 on inspection of the site. It is found that the land required by the user agency is a forest measuring 0.5662 ha.

The requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and funa found in the area. If so, the details thereof: - N.A.

Whether and protected archaeological/heritage site/defence establishment of any other important movements is located in the area. If so, the details thereof with NOC form competent authority, if required : - N.A.

× (a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.


✓ (b) It has been found that the user agency has violated the Forest (conservation) Act, 1980 provision.

(A detailed report as per para 1.9 chapter I part c of hand book of Forest (Conservation) Act, 1980 is attached)

(Note: Whichever of the above is applicable should be shown in bold letters)

Specific recommendation for acceptance of otherwise of the proposl.

Project is strongly recommended for sanction.

Place : Jhunjhunu Date : 25.10.2016	(Signature)  (ओर. एम. मीना) सुप वन संरक्षक
	Name : R.N. Meena Designation: D.C.F. Office Seal :