

**FIELD INSPECTION NOTES OF THE DIVISIONAL FOREST OFFICER, MEDAK IN
RESERVE FOREST LAND ON 09.04.2016**

Today I along with the Forest Range Officer, Medak and Ramayampet, and their field staff have inspected the Reserve Forest areas proposed for diversion of 2.739 Ha Forest land in RFs for Laying of pipe line and construction of other structures for providing safe Drinking water under Drinking water Pipe line Project as detailed below:

Sl. No.	Name of the Range	Name of the Reserve Forest	Area (in Ha)	Length (Approx) (in mtrs)	Width (Approx) (in mtrs)	
					Min	Max
1.	Medak	Tekmal	0.247	2241.21	1.1	1.1
2.	Medak	Arkela	0.140	1755.32	0.8	0.8
3.	Medak	Annaram	0.241	3442.61	0.7	0.7
4.	Medak	Yedupayal	0.365	4832.03	0.8	0.8
5.	Medak	S. Kondapur	0.367	3337.22	1.1	1.1
		Total Medak Range	1.36	15608.39		
6.	Ramayampet	Gangapur	0.183	1832.15	1.0	1.0
7.	Ramayampet	Pathur & Tonigandi	0.417	3797.388	1.1	1.1
8.	Ramayampet	Rainapally_I&II	0.263	3658.471	0.70	0.80
9.	Ramayampet	Gajgatlappally	0.052	746.243	0.70	0.70
10.	Ramayampet	Akkannapet & J. Lingapur	0.464	4496.564	1.00	1.10
		Total Ramayampet	1.379	14530.816		
		G.Total	2.739	30139.206		



The said area is passing through these RF's to a length of about 30139.206 mts and width varying as mentioned above. The canopy of these areas is 0.4 to 0.6 and about 136 trees are required to be removed from the said area.

Dominant species in the areas are 1). Butea monosperma (Moduga) 2). Channngi (lagerstroemia parvidolia) 3) Gymnosporia (Danthi) 4). Albizia Amaea (Narlinga) 5). Tectono gradis (Teak) 6). Cassia auriculata (Thangedu) 7). Annona Aquamosa (seethapal) 8) Wrightia tinctoria (Palakodisa) 9) Terminalia Arjuna (Gumpena) 10). Azadirachta indica (Vepa) 11). Cassia fistula (Rela) 12) Diospyros chloroxylon (Illintha) etc. enumeration and valuation of the tree growth in these areas are completed (list enclosed).




I have searched for other alternatives, but there is no alternative land available except the present proposal. This is the barest minimum area that is required Laying of pipe line and construction of other structures for providing safe Drinking water Project. No work is started as on date in violation of FC Act 1980. There are no encroachments and also claims in the RF area that attracts the RoFR Act 2006.

The user agency has submitted their undertakings to implement the following conditions.

1. The User agency shall construct Boundary pillars separating the proposed area for diversion at every 25 mts interval.
2. The Compensatory Afforestation is proposed in Compt. No 86 of Bhootpur RF of Medak Range Range
3. The NPV of Rs.17, 14,614 /- shall be paid by the user agency.
4. The project Cost of Rs.16, 46,930 /- Shall be paid by the user agency.
5. The extraction charges of the timber / fuel as estimated in these areas shall be borne by the user agency.
6. The area is free from encroachments and does not fall in wildlife protected areas, archaeological heritage site, important monument there are no claims pending under RoFR Act.2006. There are no endangered species that are caused or harmed due to Laying of pipe line and construction of other structures for providing safe Drinking water Project.

The District Collector, Medak has given the certificate in proforma-I as per instructions vide GOI, MoEF, ref.11-9/98-Fc (PT) dt.05.07.2013 for linear projects, duly certifying that the process of identification of Rights under Forest Right Act has been completed in the District and there is no claim pending in the above said RF.


Divisional Forest Officer,
Medak.

**FIELD INSPECTION NOTES OF THE DIVISIONAL FOREST OFFICER, MEDAK IN
RESERVE FOREST LAND ON 22.05.2016**

Today I along with the Forest Range Officer, Medak and their field staff have inspected the Reserve Forest areas proposed for diversion of 0.794 Ha Forest land in RFs for Laying of pipe line and construction of other structures for providing safe Drinking water under Drinking water Pipe line Project as detailed below:

Sl. No.	Name of the Range	Name of the Reserve Forest	Area (in Ha)	Length (Approx) (in mtrs)	Width (Approx) (in mtrs)	
					Min	Max
1.	Medak	Bhoothpur	0.794	8139.305	0.80	1.00

The said area is passing through these RF's to a length of about 8139.305 mts and width varying as mentioned above. The canopy of these areas is 0.4 to 0.6 and about 12 trees are required to be removed from the said area. Dominant species in the areas are 1). Butea monosperma (Moduga) 2). Cassia fistula (Rela) 3). Albizia Amaxa (Narlinga) 4).



Terminalia Arjuna (Madi) 5). Diasporous chloroziana (Illintha) enumeration and valuation of the tree growth in these areas are completed (list enclosed).

I have searched for other alternatives, but there is no alternative land available except the present proposal. This is the


barest minimum area that is required Laying of pipe line and construction of other structures for providing safe Drinking water Project. No work is started as on date in violation of FC Act 1980. There are no encroachments and also claims in the RF area that attracts the RoFR Act 2006.



The user agency has submitted their undertakings to implement the following conditions.

1. The User agency shall construct Boundary pillars separating the proposed area for diversion at every 25 mts interval.
2. The area is free from encroachments and the area does not fall in archaeological heritage site, important monument there are no claims pending under RoFR Act. 2006. There are no endangered species that are caused or harmed due to Laying of pipe line and construction of other structures for providing safe Drinking water Project.

The District Collector, Medak has given the certificate in proforma-I as per instructions vide GOI, MoEF, ref.11-9/98-Fc (PT) dt.05.07.2013 for linear projects, duly certifying that the process of identification of Rights under Forest Right Act has been completed in the District and there is no claim pending in the above said RF.


Divisional Forest Officer,
Medak.