

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**  
(for the forest land to be diverted under FCA)

A proposal has been received by this office from श्री. राजेश कुमार शर्मा for diversion under FCA-1980 of 2.0825 ha of forest land for non-forestry purpose. The Project envisages the use of forest land for construction of एकटा लकड़ मकान के लिए कच्चा मकान. The site inspection of the land involved in the proposal has done by me on dated 25-11-2016

On inspection of the site, it is found that the land required by the user agency is a F/PP/un-classed/Protect forest measuring 2.0825 ha.

The requirement of forest land as proposed by the user agency in Col. part-1 is unavoidable and is barest minimum required for the project. Yes

Whether any rare / endangered / unique species of flora and fauna found in the area. If, the details there of. No

Whether any protected archeological / heritage site / defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required. No

The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. Yes

It has been found that the user agency has violated the forest (Conservation), Act, 1980 provisions. A detail report as per para 19 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached. No

Specific recommendation for acceptance or otherwise of the proposal.

Recommended.

By: राजेश कुमार शर्मा  
Date: 25.11.2016

(Signature)

Name

Designation

Office Seal

दीप चंद्र शर्मा  
प्रभारी वनाधिकारी  
चक्राता वन प्रभाग  
चक्राता (देहरादून)

- B. ☒ state the purpose for which the forest land is proposed to be diverted.  
xx ☐ out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

Per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.