

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Electricity Distortion Division, Uttarakhand Power Corporation Lt. New Tehri (Tehri Garhwal), for "Construction of "Electric line for Kyari-Surkanda Namay Tok" Under FCA-1980 of 0.60 ha. (Length-3.00 K.m) of forest land non-forestry purpose. The Project envisages the use of, "Construction of "Electric line for Kyari-Surkanda Namay Tok". The site inspection of the land involved in the proposal has done by me on dated 07-01-2016 .

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest + Prevate Forest + Civil Forest (RF 0.50 ha. + PF 0.00 ha.+CF 0.10 ha. = 0.60 ha.

The requirement of forest land as proposed by the user agency in Col.2 part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna is found in the area. If so the details there of: No.

Whether any protected archeological/heritage site/defence establishment or any other important monument is located in the area, If so the details there of with NOC from compentent authority, if required:- No.

- ✓a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.(✓)
- ✗b) It has been found that the user agency has violated the forest (Conservation)] Act 1980 provided. A detail report as per para 1.9 of chapter 1, para C of Handbook of forest (Conservation)] Act 1980 is attached.(x)


Specific recommendation for acceptance or otherwise of the proposal.

Proposal is recommended.


(Signature)

Name (Dr. Dheeraj Pandey)

Designation... प्रजातीय वनाधिकारी

Office Seal 

Place – Mussoorie.

Date – 07 .01. 2016.

N.B x State the purpose for which the forest land is proposed to be diverted.

xx Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less then 40 ha. of forest land, the site inspection report from DCF is required and for proposal involving more than 40 ha. of forest land site inspection report from the conservation of forests is required.