

SITE INSPECTION REPORT NOT BELOW THE RANK OF DC (For te forest land to be dilverted under FCA)

A Proposal has been received by this office from Bharat petroleum Corporation Ltd, Mathura for diversion (under FCA- 1980) 0.065428 hact. of forest land for non-forestry purpose. The projet envisage the use of forest land for construction of approach road to new retail outlet located at Bareilly Mathura Road (Stete Highway No.33) km 166.182 left bank at khasra No. 242 vill. Athayia tehsil and ditt. Kasganj. The site inspection of the land involed in the proposal has been don by me on dated 16-1-16

On inspection of the site, it is found that the land required by the use agency is a Protected Forest measuring 0.065428 hac

The requirement of the forest land as proposed by the user agency in col. 2 of part-1 is unavoidable and is barest minimum required of the project.


Whether any rare/ endangered/unique species of flora and fauna in the area. If so, the details thereof- Nil.

Whether any protected archeological/heritage site/defense establishment of any other important monument ia located in the area. If so the details thereof with NOC from competent authority, if required- Nil.

- A- The user agency has not violated the provision of forest(conservation,) act 1980 and no work has been started without sanction- **YES**
- B- It has been found that the user agency has violated the forest (conservation,) act 1980 provisions. Detail report as per para 1.9 chepter- 1 C of handbook of forest (conservation,) act 1980 is attached. **No**
- Specific recommendation for acceptance of/ otherwise proposal.

Place- kasganj

Date- 16-1-16


(Mahadev Koulalagi)
Divisional Forest Officer
Kasganj

N.B X statethe purpose for which the forest land is proprsed to be diverted
 xx out of (a) and (b) tick the option which is applicaber and cross the option
 which is not applicable.

As per letter numver2-2/2000-FC dated 16-10.2000 from ministry of environme & Forests, Government of india for proposal involving less then 40 hectare of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectare of forest land site inspection report from the Conservator of Forests ia reuugred.