

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received by this office from Dedicated Freight Corridor Corporation of India Limited for diversion (under FCA 1980) of 0.7957 ha of forest land for non forestry purpose. The Project envisage the use of forest land for construction of Eastern Dedicated Freight Corridor Project in Tehsil Khurja, District Bulandshahr. The site inspection of the land involved in the proposal has been done by me on dated..29.12.2015

On inspection of the site, it is found that the land required by the user agency is a Reserve Forest measuring 0.7957 ha.

The requirement of forest land as proposed by the user agency in Col. 2 of part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species flora and fauna in the area. If so, the details there of - NIL

Whether any protected archaeological/heritage site establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, If required - NIL

a- The user agency has not violated the provisions of forest (conservation) Act,1980 and no work has been started without proper sanction. (TRUE)

b- It has been found that the user agency has violated the forest (conservation) Act,1980 provisions, a detail report as per para 1.9 of chapter-I; para C of handbook of forest (conservation) Act, 1980 is attached. (FALSE)

Specific recommendation for acceptance or Otherwise of the proposal.

Place:


(Anuj Kumar Saxena)
Divisional Director,
Social Forestry Division,
Bulandshahr

N.B. x state the propose for which ten forest land is proposed to be diverted.
xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter No. 2-2/200-FC dated 16-10-2000 from ministry of Environment & Forest Government of India for proposal involving less than 40ha. Of forest land , the site inspection report from DCF is required and proposal involving more than 40ha. Of the forest land site inspection from the conservator of forest is required.