

Annexure - XVII

Site Inspection Report

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from executive engineer road and building state division godhra. for diversion (under FCA) of 0.42 ha of protected forest land of Road side for Non Forestry purpose i.e., for four construction of New R.O.B. on Tuwa-Dhanol-Mehlol-Kharsaliya Road Taluka-Godhra and Kalol of Panchmahal District. Km 16/100 to Km 16/450 and Km 17/150 to Km 17/500 (Location No.41 Railway Crossing) area the site inspection of the land involved in the proposed had been done by me on Dt. 8.10.2016

On inspection of the site it is found that the land required by the user agency is a RF/ PF/ unclosed forest admeasuring 0.42 Ha.

The requirement of forest land as proposed by the agency in col.2 of Part-1 is unavoidable and barest minimum for the project.

No protected archaeological / heritage site / defense establishment or any other important monuments is located in the area.

No rare / endangered unique species of flora and fauna found in the area.

☒ (a) The user agency has not violated the provision of Forest (Conservation) Act-1980 and no work has been started without proper sanction.

☐ (b) It has been found that the user agency has violated the FCA provision and has started the following works without proper sanction under FCA.

If so.


(1) Date of starting the work

(2) The nature and extent of work done.

It is recommended to divert this land for above mentioned purpose.

Place : Godhra

Date : 10/02/2016


(Dr. Anshuman)
Deputy Conservator of Forests
Godhra

N.B. x State the purpose for which the forest land is proposed to be diverted
xx out of (a) and (b) tick () the option which is applicable and cross (x) the option which is not applicable.

As per letter No.2-2/2000-FC Dt.16/10/2000 from Ministry of Environment and Forest, Govt. of India. for proposals involving less than 40 ha. of forest land. The site inspection report from DYCF is required and for proposal involving more than 40 ha. of Forest Land Site Inspection Report from the conservator of Forest is required