


SITE INSPECTION REPORT OF CONSERVATOR OF FORESTS MADURAI CIRCLE

I inspected the site proposed for providing water supply improvement scheme to Theni - Allinagaram Municipality in Valkaradu RF with District Forest Officer, Theni on 14.11.2015 and again on 10.02.2016. The linear area proposed for water supply improvement is located right on the boundary of existing road connects KRR nagar to Periakulam Bypass Road in Valkaradu RF.

The area for which proposed is barest Minimum & absolutely essential. Hence I recommend the proposal.




11/2/2016 1/4

Conservator of Forests
Madurai Circle,
Madurai

PART - III
(To be filed by the concerned Conservator of Forests)

1	Whether site, where the forest land involved is located has been inspected by the Concerned Conservator of Forests (Yes / No). If yes the date of inspection and observation made in the Inspection notes to be enclosed.	Yes, Inspected the site proposed for Providing water supply improvement scheme to Theni - Allinagaram Municipality - in Valkaradu RF with District Forest Officer, Theni on 14.11.2015 and 10.02.16 The linear area proposed for water supply improvement is located right on the boundary of existing road connects KRR Nagar to Periakulam Bypass Road in Valkaradu RF. The area for which proposed is barest minimum & absolutely essential. Hence, I recommend the proposal.
2	Whether the concerned Conservator of Forests agree with the information given in Part - B and the recommendation of Deputy Conservator of Forests.	Yes, I agree with the View of the District Forest Officer. Theni.
3	Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.	Recommended to accord approval under General category for laying drinking water supply line passing through Valkaradu RF



3/4
 Conservator of Forests.
 Madurai Circle,
 Madurai.