

स्थल संयुक्त निरीक्षण प्रमाण पत्र

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from Excutive Engineer Electricity Distribution Division Fatehpur diversion under Forest Conservation Act,1980 of 0.6615 Ha. of forest land for non-forestry purpose. The project envisages the use of forest land for construction of 33 K.V. Paikaramau to Kursi (Distt. Barabanki) 0.6615 Ha .

The site inspection of the land involved in the proposal has done by me on dated 28.05.2013.

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring 0.6615 Ha .

The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of No

Whether any protected archeological/heritage site/defence establishment or any other important mounuments is located in the area, if so the details there of with NOC from competent authority, if required: No

(a) The user agency has not violated the provisions of Forest Conservation Act,1980 and no work has been started without proper sanction Not Violated

(b) It has been found that the user agency has violated the Forest Conservation Act,1980 porvisions. A detail report as per para 1.9 of chapter 1, Para C of Handbook of Forest Conservation Act,1980 is attached NA

Specific recommendation for acceptance or otherwise of the proposal Recommended .

| | | |
|-------------------------------|---|--|
| Place :- Barabanki Date :- | (Jawed Akhater) Divisional Forest Officer Barabanki. <i>M</i> | <i>Plak</i> प्रभागीय निदेशक बा० वा० वन प्रभाग बापबंकी |
|-------------------------------|---|--|

N.B x State the purose for which the forest land is proposed to be diverted .

xx out of (a) and (b) the option which is applicable and cross the portion which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2010 from Ministry of Environment & Forests, Government of India for proposal involving less the 40 hectares of forst land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the Conservator of frests is required.