

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest Land to be diverted under FCA)

A Proposal no fp/up/others/17805/2016 online has been received by this office from Hindustan petroleum Corporation Ltd. Meerut at Badaun-Bijnor (SH-51) Road km. 174 RHS Gata No. 2230m for construction of Petrol/Diesel pump Section for under (FCA-1980) of 0.0775 ha. Of forest land for non-forestry Purpose. The Project envisages the use of forest land for construction of Petrol/diesel pump The site inspection of the land involved in the proposal has done by me on dated 24.10.2016

On inspection of the site, it is found that the land required by the user agency is a RF/un-leased/Protected forest measuring 0.0775 Ha.

The requirement of forest land as proposed by hew user agency in col. 2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. if, so the details there of -No


Whether any protected archeological/heritage site/defense establishment of any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required- No

- (i) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction, (yes).
- (j) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. Detailed report as per para 1.9 of chapter 1, para C of Handbook of forest (Conservation) Act, 1980 is attached. (x)

Specific recommendation for acceptance or other wise of the proposal.

Place : Bijnor

Date :


Divisional Director
Social Forestry Division,
Bijnor

N.B. x- Stage the purpose for which the fore land is proposed to be diverted.
xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.