

**SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF  
(for the forest land to be diverted under FCA)**

A proposal has been received by this office from Executive Engineer P.W.D. Rapkot  
for diversion under FCA-1980 of 1.050 ha. of forest land for non-forestry purpose. The project envisages  
the use of forest land for construction of Kamerideri Bandole Syakot motor Road  
The site inspection of the land involved in the proposal has been done by me on dated 23/04/2016

On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Other  
forests measuring 1.050 ha.

The requirement of forest land as proposed by the user agency in Col. 2 part-1 is unavoidable and is barest  
minimum required for the project.

Whether any rare /endangered /unique species of flora and fauna found in the area. If, so the details there of :-  
Whether any protected archeological /heritage site/defense establishment or any other important monument is  
located in the area, if, so the details thereof with NOC from competent authority, if required.-

✓ a) The user agency has not violated the provisions of forest (Conservation) Act 1980 and no work has been started  
without proper sanction. yes

✗ b) It has been found that the user agency has violated (Conservation) Act and 1980 provisions. A detailed report as  
per para 1.9 of chapter 1, Para C of Hand book of forest (Conservation) Act. 1980 attached. NO

Specific recommendation for acceptance or otherwise of the proposal.

Place: Bazirhwa  
Date: 23/04/2016

(Signature)

Name: [Signature]  
Designation: वन विभाग  
Office Seal: राज्य सरकार

N.B. x State the purpose for which the forest land is proposed to be diverted.  
x out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from ministry of Environment & Forest, Government of India  
for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for  
proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is  
required.