

Checklist No.-15**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**( For the forestland to be diverted under FCA )

Proposal has been received by this office from Executive Engineer, B&R HPPWD Division Rohru for diversion (under FCA 1980) 02.0252 ha. of Forest land for non-forestry purpose. The subject envisages the use of forest land for construction of Gaonsari Goskwari Rausi Road Km 0/00 to 4/110 . The site inspection of the land involved in the proposal has been done by me on dated 16.5.2016

On Inspection of the site it is found that the land required by the user agency is a forest area measuring 02.0252 ha in part of UPF Gaonsari, UPF Goskwari and UPF Rausi.

- |     |   |   |
|-----|---|---|
| I.  | The requirement of forestland as proposed by the user agency in col. 2 of Part I is unavoidable and barest minimum for the project. | Yes it is barest minimum  |
| II  | Whether any rare/ endangered/ unique species of flora and fauna found in the area if so details thereof.                            | No  |
| III | Whether any protected archeological/ heritage site/ defence establishment or any other important monument is located in the area.   | No  |
| IV  | <b>The user agency has not violated the provisions of FCA and no work has been started in violation without proper sanction.</b>    | <b>No violation has been done and no work has been started.</b> |
| V   | It has been found that the User Agency has violated the Forest Conservation Act.  | Not applicable.   |
| VI  | Specific recommendation for acceptance or otherwise of the proposal.  | Recommended under FCA, 1980.                                    |

Date:

Place: Rohru

*Chaman Lal*  
**Divisional Forest Officer**  
 Rohru Forest Division,  
 Rohru  
 Divisional Forest Officer,