

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from B.P.C.L. Petrol Pump for diversion under (FCA-1980) of 283.1 ha. of forest land non- forestry purpose. The project envisages the use of forest land for construction of..... widening. The site inspection of the land involved in the proposal has done by me on dated 17.11.2018.....

On inspection of the site, it is found that the land required by the user agency is a RF/un-classed/Protect forest measuring 283.1 ha.

The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/Unique species of flora and fauna found in the area. If, so the details there of No.....

Whether any protected archeological /heritage site/ defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required:-

- (a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction (☒)
- (b) It has been found that the user agency has violated the forest (Conservation), Act. 1980 provisions. A detail report as per para 1.9 of chapter 1, Para C of handbook of forest (Conservation) Act, 1980 is attached. (☒)

Specific recommendation for acceptance or otherwise of the proposal

Place:-

Dated:-

माता वन प्रसाद
डी. वन प्रसाद
Divisional Forest Officer
Gonda Forest Division, Gonda