

स्थल संयुक्त निरीक्षण प्रमाण-पत्र**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**

(For the Forest Land to be diverted under FCA)

A Proposal has been received by this Office from Executive Engineer, Electricity Transmission Division - II, UPPTCL, Lucknow diversion under Forest Conservation Act. 1980 of 0.581 Ha. of Forest Land for non-forestry purpose. The Project envisages the use of Forest Land for construction of 220 K.V. Kursi Road - PGCIL, Lucknow Transmission Line.

The site inspection of the land involved in the proposal has done by me on dated 23-07-2016. On inspection of the site, it is found that the land required by the user agency is a Reserve Forest measuring 1.162 Ha.

The requirement of Forest Land as proposed by the user agency in Col. 2 Part - 1 is unavoidable and is barest minimum required for the project.

Whether any rare / endangered / unique species of flora and fauna found in the area. If, so the details there of No.

Whether any protected archeological / heritage site / defense establishment or any other important monuments is located in the area, if so the details there of with NO from competent authority, if required. No

- a) The user agency has not violated the provisions of Forest Conservation Act. 1980 and no work has been started without proper sanction Not Violated
- b) It has been found that the user agency has violated the Forest Conservation Act. 1980 provisions. A detail report as per Para 1.9 of chapter 1, Para C of Handbook of Forest Conservation Act. 1980 is attached N.A.

Specific recommendation for acceptance or otherwise of the proposal Recommended

| | |
|---------|--|
| Place : | (Jawed Akhater) |
| Date : | Divisional Forest Officer <u>जातीय निदेशक</u> Barabanki <u>पा० बा० वन प्रभाग</u> <u>3</u> <u>बाबंकी</u> |

N.B. x State the purpose for which the forest land is proposed to be diverted.

xx out of (a) and (b) the option which is applicable and cross the portion which is not applicable.

As per letter number 2-2/2000 FC dated 16.10.2010 from Ministry of Environment & Forests, Government of India for proposal involving less the 40 Hect. of forest land, the site inspection report from DCF is required and for proposal involving more than 40 Hect. of forest site inspection report from the Conservator of forests is required.