

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF**  
(For the forest land to be diverted under FCA)

A proposal has been received by this office from ESSAR Oil Limited 3rd Floor, Arihant Complex, Sigra, Varanasi-221010 for diversion under (FCA-1980) of 0.1516 Hect of forest land for non-forestry purpose. The project envisages the use of forest land for construction of Petrol/Diesel Retail outlet. The site inspection of the land involved in the proposal has done by me on dated ..05.1.2016 on inspection of the site, it is found that the land required by the user agency is a Protected forest measuring 0.1516 hect. The requirement of forest land as proposed by the user agency in col.2, part-1 is unavoidable and bare minimum required for the project. Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of: --- NIL ---

Whether any protected archaeological/heritage site/defense establishment or any other important mounuments is located in the area. If, so the details there of with NOC from competent authority, if required: --- NIL ---

- (a) The user agency has not violated the provisions of forest (conservation) Act 1980 and no work has been started without proper sanction (✓)
- (b) It has been found that the user agency has violated the forest (conservation) Act 1980 provision. A detail report as per para 1.9 of chapter 1, para c of Handbook of forest (conervation), Act 1980 is attached. (✗)

Specific recommendation for acceptance or otherwise of the proposal.

*The project is recommended for approval.*

Place : Sultanpur

Dated : 5.1.2016

*K.C. Bajpai*  
(K.C. BAJPAI)

Divisional Forest Officer

प्रभागोपनिदेशक

सामाजिक वानिकी वन प्रभाग

सुलतानपुर

N.B. : x state the purpose for which the forest land is proposed to be diverted. xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable. As per letter Number 2-2-2000 FC dated 16.10.2000 from Ministry of Environment & Forests, Government of India for proposal involving less that 40 hectares of forest land, the site inspection report from DCF is required and proposal involving more than 40 hectares of forest land site inspection report from the conservation of forest is required.