

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office from Indian Oil Corporation Ltd., Divisional Office Lucknow For Diversion (under FCA-1980) of 0.0750 hectare forest land for non-forestry purpose. The Project envisages the use of forest land for construction of Retail Outlet at Paliya-Lucknow Road (SH-25) between Km.218-219 on Right side. The Site inspection of the land involved in the proposal has been done by me on Dated 22-8-2016.

On inspection of the site, Paliya-Lucknow State Highway No 25 (SH-25) land required by the user agency is a PF/Protect forest measuring 0.0750 hac. affected.

land required by the user agency is forest land declared under Section-29 of Indian Forest Act-1927 vide Notification No- 1115 / 14-331-50 dated 10-02-1960 measuring 0.2806 hac. The requirement of forest land as proposed by the user agency in Col.2 Part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of : Nil

Whether any archeological /heritage site / defense establishment or any other important monument is located in the area. if, so the details there of with NOC from competent authority, if required : Nil

(a) The user agency has not violated the provisions of forest Conservation Act.1980 and no work has been started without proper sanction. Yes

Specific recommendation for acceptance or otherwise of the proposal.

Palce - Hardoi
Date- 22-8-16

f
DIVISIONAL DIRECTOR
Social Forestry Forest Division
Hardoi

Ca
(V.K. Singh)
Divisional Director
Social Forestry Forest Division
Hardoi

N.B. X state the propose for which the forest land is proposed to be diverted.....xx out of (a) the option which applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & forest, Govt of India for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservator of forests is required.