

0.075 ha of forest land for purposed site for construction of RAW WATER SUNP at village near bridge Abohar Baranch RD No 202912 (Ft/R) Distt Moga under Ferozepur Division.

65

CHECK LIST SERIAL NUMBER:-15
SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, water Supply & sanitation for diversion (Undar FCA 1980) of 0.075 ha. of forest land for non-forestry purpose. The project envisages the use of forest land for purposed site for construction of RAW WATER SUNP at village Daudhar near bridge Abohar Baranch RD No 202912 (Ft/R) Distt Moga under Ferozepur Division. The site inspection of the land involved in the proposal has been done by me on dt. 21.9.17....

On inspection of the site, it is found that the land required by the user agency is a RF/ PF/un-classed Protect forest measuring 0.075 ha

The requirement of forestland as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. NA

If so, the details thereof.

Whether any protected archaeological/heritage site/defense establishment or any other important monument is located in the area. NA

If so, the details thereof with NOC from competent authority, if required

(a) The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.

(b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter 1, Part C of Handbook of Forest (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

Recomended

Place: Ferozepur
Date:.....

(Signature)
Name.....
DIVISIONAL FOREST OFFICER
OFF FEROZEPUR DIVISION
FEROZEPUR

N.B.
x state the purpose for which the forest land is proposed to be diverted.
xx out of (a) and (b) tick (✓) the option which is applicable and cross (x) the option which is not applicable.

As per letter number 2-2/2000-FC dated 16.10.2000 from Ministry of Environment & Forests, Government of India for proposal involving less then 40 hectare of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectare of forest land site inspection report from the Conservator of Forests is required.