

Div of 0.23625 ha. forest land for use of laying under ground water pipe line at vill. Arniwala sheikh subhan on Malout-Fazilka road between km stone 21-25 rhs distt fazilka
File No. : FP/PB/OTHERS/20984/2016

Date of Proposal: _____

CHECK LIST SERIAL NUMBER: 16

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF/ DFO
(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Div of 0.23625 ha. forest land for use of laying under ground water pipe line at vill. Arniwala sheikh subhan on Malout-Fazilka road between km stone 21-25 rhs distt fazilka. The site inspection of the land involved in the proposal has been done by me on dated 31-10-17.

- 2 On inspection of the site, it is found that the land required by the user agency is a forest area measuring **0.23625** hec.
- 3 The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.
- 4 Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof:- **N.A**
- 5 Whether any protected archaeological/ heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from the competent authority:- **N.A**
- 6 (a) **The user agency has not violated the provisions of Forest(Conservation) Act, 1980 and no work has been started without proper sanction.**
(b) The user agency has violated the provisions of Forest (Conservation) Act, 1980 provision, A detailed report as per para 1.9 of chapter 1, part C of Handbook of the (conservation act, 1980 is attached.)

Note: Whichever of the above is applicable should be shown in bold letters)
Specific recommendation for acceptance or otherwise of the proposal.
May be accepted as per GOI Guidelines

Place : Muktsar

(Signature)

Date: 31-10-17

Name **Baljeet Singh PFS.**
Designation **DFO**
Divisional Forest Officer
Muktsar Forest Division
Muktsar Forest Division,
Sri Muktsar Sahib.