प्रास्त्य-7

SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF (for the forest land to be diverted under FCA)

5.1 A	proposal has been received by this office from E.E. P.D. PWD.	Ramikhet (Almora for
	diversion under FCA-1980) of 1044 I ha of forestar	nd for non-forestry nurpose.
	The project envisages the of forest land for construction of span-	लानी- मसमोली मार्गाothe
z'	sit inspection of the land involved in the proposal has	been done by me on
	dated 2A-02-2017	

- 5.2 On inspection of the site it is found that the land required by the user agency is a RF/PF/un-classed other forests measuring.

 1.044
- 5.3 The requirement of forest land as proposed by the used agency in co 1.2 part-1 is unavoidable and is barest minimum required for the project.
- 5.4 Whether any rare/endangered/unique species of flora found in the area. If, so the details there of :- No
- 5.5 xx Whether any protected archeological/heritage/site/defence establishment or any other important monument is located in the area, if, so the details thereof with NOC from competent authority, if required NO
 - a) The user agency has not violated the provisions of forest (Conservation) Act, and 1980 and no work has been started without proper sanction.
 - b) It has been found that the user agency the violated (Conservation) Act, and 1980 provisions. A details report as per para 1.9 of chapter 1, para C of Hand book of forest (Conservation) Act, 1980 attached.

Specific recommendation for acceptance of otherwise of the proposal.

(नोट:- प्रभागीय वनाधिकारी द्वारा यहाँ पर प्रस्ताव के सम्बन्ध में अपनी संस्तुति/टिप्पणी आवश्यक रूप से अंकित की जाय।

Place. 97(2412).... Date 02 -- 03 -- 2017

(Singnature)

Name अस्त व क्षेत्र क्रांनापति

Office Seal ब्रह्मीडा वन प्रधान अवसेडा

N.B Diverted. State the purpose for which the forest land is proposed to be

out of (a) and (b) tick the option which is applicable and cross the is not applicable

option which

As per letter number 2-2/2000 FC darted 16-10-2000 from ministry of Environment & Forest Government of india for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.