

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF  
(For the Forest land to be diverted under FCA)**

Name of Project:- Construction of 132 kV S/C Nokha Daiya - Khajuwala Transmission Line of M/s Rajasthan Rajya Vidyut Prasaran Nigam Limited

A proposal has been received by this office from Nodal officer A P C C F (FCA) Jaipur Rajasthan Dated 04.01.2017 for diversion (under FCA-1980) of 6.0589 Ha. of forest land for non forestry purpose. The subject envisages the use of forest land for construction of Transmission Line.

The site inspection of the land involved in the proposal has been done by me on dated 27.01.2017 On inspection of the site, it is found that the land required by the user agency is a forest measuring 6.0589 Ha. The requirement of forest land as proposed by the user agency in col. 2 of part-I is unavoidable and is barest minimum required for the project.

Whether any rare / endangered / unique species of flora and fauna found in the area. If so, the details there of- --- (NO)

Whether any protected archaeological / heritage site / defense establishment or any other important monument is located in the area. If so, the details there of with Noc from competent authority, if required -----(NO)

✓(a) The user agency has not violated the provisions of Forest(Conservation) Act, 1980 and no work has been started without proper sanction.

x (b) It has been found that the user agency has violated the Forest(Conservation) Act, 1980 provisions.

(A detailed report as per para 1.9 of Chapter 1, Part C of Hand book of Forest (Conservation) Act, 1980 is attached).

(Note: Whichever of the above is applicable should be shown in bold letters)

Place:-

Date:-

( Signature ) 

Name :

Designation:

Official Seal :

(मनाली सेन)  
उप वन संरक्षक  
इ.गां.न.प. स्टेज-II  
बीकानेर