

**SITE INSPECTION REPORT- NOT BELOW THE RANK OF DCF  
(for the forest land to be diverted under FCA)**

A proposal has been received by this office from Executive engineer Electy. Secondary  
for diversion under FCA-1980) of 0.90 ha. of forest land for non-forestry purpose. The project envisages work on  
the use of forest land for construction of 33KV line from Bageshwar to Raptot  
The site inspection of the land involved in the proposal has been done by me on dated 03/04/17

On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Other forests measuring 0.90 ha.

✓ The requirement of forest land as proposed by the user agency in Col.2 part-1 is unavoidable and is barest minimum required for the project. yes

✓ Whether any rare /endangered /unique species of flora and fauna found in the area. If, so the details thereof :-  
Whether any protected archeological /heritage site/defense establishment or any other important monument is located in the area, if, so the details thereof with NOC from competent authority, if required. - NO

✓ a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction. yes

✓ b) It has been found that the user agency has violated (Conservation), Act, and 1980 provisions. A details report as per para 1.9 of chapter 1, Para C of Hand book of forest (Conservation) Act, 1980 attached. NO

Specific recommendation for acceptance or otherwise of the proposal.

अनुमति के लिये हेतु लक्षित प्रमाण संलग्न है.

(Signature)

Place:- Bageshwar  
Date: 03/04/17

Name

Designation

Office Seal

N.B. x State the purpose for which the forest land is proposed to be diverted.  
x out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from ministry of Environment & Forest, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.