

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the forest land to be diverted under FCA)

A proposal has been received by this office by Jalaun social forestry division for diversion under (FCA-1980) of 0.268 ha. Of forest land for non forestry purpose. The project envisages the use of forest land for laying of 765 kV D/C Orai - Aligarh Line(Part -1). The site inspection of the land involved in the proposal has done by me on dated 18/4/17

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring P.F. 0.268 ha.

The requirement of forest land as proposed by the user agency in col. 2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/Endangered / unique species of flora and fauna found in the area. If, so the details there of: - No

Whether any protected archeological/ heritage site/ defense establishment of any other important a monument is located in the area, if, so the details thereof with NOC from competent authority, if required - No

- (a) The user agency has not violated the provisions of forest(conservation), act 1980 and no work has been started without proper sanctions(X).
- (b) It has been found that the user agency has violated the forest (conservation) act 1980 provisions. A detailed report as per para 1.9 of chapter 1, para C of Handbook of forest conservation Act 1980 is attached(X).

Specific recommendation for acceptance of otherwise of the proposal. Recommended for acceptance.

Place: Orai

Date: 18/4/17


Divisional Forest Officer
सम-वन संरक्षक
जालौन वन विभाग जालौन
Jalaun Forest Division Orai